Contents of Volume 98

(All rights reserved)

Kemsley EK, Gall GL, Dainty JR, Watson AD, Harvey LJ, Tapp HS & Colquhoun IJ Multivariate techniques and their application in nutrition: a metabolomics case study. 1

Newbold CJ New products for rumen manipulation 15

Flint A, Gregersen NT, Gluud LL, Møller BK, Raben A, Tetens I, Verdich C & Astrup A Associations between postprandial insulin and blood glucose responses, appetite sensations and energy intake in normal weight and overweight individuals: a meta-analysis of test meal studies. 17

Joost H-G, Gibney MJ, Cashman KD, Görman U, Hesketh JE, Mueller M, Ommen Bv, Williams CM & Mathers JC Personalised nutrition: status and perspectives. 26

Cani PD, Hoste S, Guiot Y & Delzenne NM Dietary non-digestible carbohydrates promote L-cell differentiation in the proximal colon of rats. 32

O'Sullivan L, Ryan L & O'Brien N Comparison of the uptake and secretion of carotene and xanthophyll carotenoids by Caco-2 intestinal cells. 38

Selje N, Hoffmann EM, Muetzel S, Ningrat R, Wallace RJ & Becker K Results of a screening programme to identify plants or plant extracts that inhibit ruminal protein degradation 45

Wilfart A, Montagne L, Simmins H, Noblet J & Milgen Jv Digesta transit in different segments of the gastrointestinal tract of pigs as affected by insoluble fibre supplied by wheat bran. 54

Chao P-M, Huang H-L, Liao C-H, Huang S-T & Huang C-j A high oxidised frying oil content diet is less adipogenic, but induces glucose intolerance in rodents. 63

Sabboh H, Coxam V, Horcajada M-N, Rémésy C & Demigné C Effects of plant food potassium salts (citrate, galacturonate or tartrate) on acid–base status and digestive fermentations in rats. 72

Thorn SL, Young GS & Kirkland JB The guinea-pig is a poor animal model for studies of niacin deficiency and presents challenges in any study using purified diets. 78

Mata-Bilbao MdL, Andrés-Lacueva C, Roura E, Jáuregui O, Escribano E, Torre C & Lamuela-Raventós RM Absorption and pharmacokinetics of grapefruit flavanones in beagles 86

Elmes MJ, Gardner DS & Langley-Evans SC Fetal exposure to a maternal low-protein diet is associated with altered left ventricular pressure response to ischaemia–reperfusion injury. 93

Gruendel S, Otto B, Garcia AL, Wagner K, Mueller C, Weickert MO, Heldwein W & Koebnick C Carob pulp preparation rich in insoluble dietary fibre and polyphenols increases plasma glucose and serum insulin responses in combination with a glucose load in humans. 101

Delavaud C, Bocquier F, Baumont R, Chailleu E, Ban-Tokuda T & Chilliard Y Body fat content and feeding level interact strongly in the short- and medium-term regulation of plasma leptin during underfeeding and re-feeding in adult sheep 106

Yang XF, Xu J, Guo HL, Hou XH, Hao LP, Liu LG & Sun XF Effect of excessive iodine exposure on the placental deiodinase activities and *Hoxc8* expression during mouse embryogenesis. 116

Fava F, Mäkivuokko H, Siljander-Rasi H, Putaala H, Tiihonen K, Stowell J, Tuohy K, Gibson G & Rautonen N Effect of polydextrose on intestinal microbes and immune functions in pigs. 123

Azadbakht L, Mirmiran P, Hedayati M, Esmaillzadeh A, Shiva N & Azizi F Particle size of LDL is affected by the National Cholesterol Education Program (NCEP) step II diet in dyslipidaemic adolescents. 134

Unlu NZ, Bohn T, Francis DM, Nagaraja HN, Clinton SK & Schwartz SJ Lycopene from heat-induced *cis*-isomer-rich tomato sauce is more bioavailable than from all-*trans*-rich tomato sauce in human subjects. 140

Henry CJK, Lightowler HJ, Dodwell LM & Wynne JM Glycaemic index and glycaemic load values of cereal products and weight-management meals available in the UK. 147

Walkowiak J, Wadolowska L, Szaflarska-Poplawska A, Lisowska A, Bugajewska A & Przyslawski J The elimination of meat from the diet selectively decreases pancreatic elastase secretion. 154

McKenzie CA, Wakamatsu K, Hanchard NA, Forrester T & Ito S Childhood malnutrition is associated with a reduction in the total melanin content of scalp hair. 159

Gardana C, Guarnieri S, Riso P, Simonetti P & Porrini M Flavanone plasma pharmacokinetics from blood orange juice in human subjects. 165

Contents of Volume 98

(All rights reserved)

Kemsley EK, Gall GL, Dainty JR, Watson AD, Harvey LJ, Tapp HS & Colquhoun IJ Multivariate techniques and their application in nutrition: a metabolomics case study. 1

Newbold CJ New products for rumen manipulation 15

Flint A, Gregersen NT, Gluud LL, Møller BK, Raben A, Tetens I, Verdich C & Astrup A Associations between postprandial insulin and blood glucose responses, appetite sensations and energy intake in normal weight and overweight individuals: a meta-analysis of test meal studies. 17

Joost H-G, Gibney MJ, Cashman KD, Görman U, Hesketh JE, Mueller M, Ommen Bv, Williams CM & Mathers JC Personalised nutrition: status and perspectives. 26

Cani PD, Hoste S, Guiot Y & Delzenne NM Dietary non-digestible carbohydrates promote L-cell differentiation in the proximal colon of rats. 32

O'Sullivan L, Ryan L & O'Brien N Comparison of the uptake and secretion of carotene and xanthophyll carotenoids by Caco-2 intestinal cells. 38

Selje N, Hoffmann EM, Muetzel S, Ningrat R, Wallace RJ & Becker K Results of a screening programme to identify plants or plant extracts that inhibit ruminal protein degradation 45

Wilfart A, Montagne L, Simmins H, Noblet J & Milgen Jv Digesta transit in different segments of the gastrointestinal tract of pigs as affected by insoluble fibre supplied by wheat bran. 54

Chao P-M, Huang H-L, Liao C-H, Huang S-T & Huang C-j A high oxidised frying oil content diet is less adipogenic, but induces glucose intolerance in rodents. 63

Sabboh H, Coxam V, Horcajada M-N, Rémésy C & Demigné C Effects of plant food potassium salts (citrate, galacturonate or tartrate) on acid–base status and digestive fermentations in rats. 72

Thorn SL, Young GS & Kirkland JB The guinea-pig is a poor animal model for studies of niacin deficiency and presents challenges in any study using purified diets. 78

Mata-Bilbao MdL, Andrés-Lacueva C, Roura E, Jáuregui O, Escribano E, Torre C & Lamuela-Raventós RM Absorption and pharmacokinetics of grapefruit flavanones in beagles 86

Elmes MJ, Gardner DS & Langley-Evans SC Fetal exposure to a maternal low-protein diet is associated with altered left ventricular pressure response to ischaemia–reperfusion injury. 93

Gruendel S, Otto B, Garcia AL, Wagner K, Mueller C, Weickert MO, Heldwein W & Koebnick C Carob pulp preparation rich in insoluble dietary fibre and polyphenols increases plasma glucose and serum insulin responses in combination with a glucose load in humans. 101

Delavaud C, Bocquier F, Baumont R, Chailleu E, Ban-Tokuda T & Chilliard Y Body fat content and feeding level interact strongly in the short- and medium-term regulation of plasma leptin during underfeeding and re-feeding in adult sheep 106

Yang XF, Xu J, Guo HL, Hou XH, Hao LP, Liu LG & Sun XF Effect of excessive iodine exposure on the placental deiodinase activities and *Hoxc8* expression during mouse embryogenesis. 116

Fava F, Mäkivuokko H, Siljander-Rasi H, Putaala H, Tiihonen K, Stowell J, Tuohy K, Gibson G & Rautonen N Effect of polydextrose on intestinal microbes and immune functions in pigs. 123

Azadbakht L, Mirmiran P, Hedayati M, Esmaillzadeh A, Shiva N & Azizi F Particle size of LDL is affected by the National Cholesterol Education Program (NCEP) step II diet in dyslipidaemic adolescents. 134

Unlu NZ, Bohn T, Francis DM, Nagaraja HN, Clinton SK & Schwartz SJ Lycopene from heat-induced *cis*-isomer-rich tomato sauce is more bioavailable than from all-*trans*-rich tomato sauce in human subjects. 140

Henry CJK, Lightowler HJ, Dodwell LM & Wynne JM Glycaemic index and glycaemic load values of cereal products and weight-management meals available in the UK. 147

Walkowiak J, Wadolowska L, Szaflarska-Poplawska A, Lisowska A, Bugajewska A & Przyslawski J The elimination of meat from the diet selectively decreases pancreatic elastase secretion. 154

McKenzie CA, Wakamatsu K, Hanchard NA, Forrester T & Ito S Childhood malnutrition is associated with a reduction in the total melanin content of scalp hair. 159

Gardana C, Guarnieri S, Riso P, Simonetti P & Porrini M Flavanone plasma pharmacokinetics from blood orange juice in human subjects. 165

Shirreffs SM, Watson P & Maughan RJ Milk as an effective post-exercise rehydration drink. 173
Bisschop PH, Klein S, Ackermans MT, Patterson BW, Endert E, van Lanschot JJB, Romijn JA & Sauerwein HP Pre-operative nutritional status does not alter the metabolic response to major gastrointestinal surgery in patients with oesophageal cancer 181
Zhang M, Holman CDJ & Binns CW Intake of specific carotenoids and the risk of epithelial ovarian cancer. 187
Nagel G, Zoller D, Ruf T, Rohrmann S & Linseisen J Long-term reproducibility of a food-frequency questionnaire and dietary changes in the European Prospective Investigation into Cancer and Nutrition (EPIC)-Heidelberg cohort. 194
Konstantinova SV, Vollset SE, Berstad P, Ueland PM, Drevon CA, Refsum H & Tell GS Dietary predictors of plasma total homocysteine in the Hordaland Homocysteine Study. 201
Bukusuba J, Kikafunda JK & Whitehead RG Food security status in households of people living with HIV/AIDS (PLWHA) in a Ugandan urban setting. 211
Mikkilä V, Räsänen L, Raitakari OT, Marniemi J, Pietinen P, Rönnemaa T & Viikari J Major dietary patterns and cardiovascular risk factors from childhood to adulthood. The Cardiovascular Risk in Young Finns Study. 218
Lin C-Y, Huang C-S & Hu M-L The use of fetal bovine serum as delivery vehicle to improve the uptake and stability of lycopene in cell culture studies. 226
McCarthy S *Book Review* 233
Li P, Yin Y-L, Li D, Kim SW & Wu G Amino acids and immune function (Review Article). 237
Horvath A, Koletzko B & Szajewska H Effect of supplementation of women in high-risk pregnancies with long-chain polyunsaturated fatty acids on pregnancy outcomes and growth measures at birth: a meta-analysis of randomized controlled trials (Systematic Review). 253
Pacheco YM, Bermúdez B, López S, Abia R, Villar J & Muriana FJG Minor compounds of olive oil have postprandial anti-inflammatory effects. 260
Choi JS, Koh I-U, Jung MH & Song J Effects of three different conjugated linoleic acid preparations on insulin signalling, fat oxidation and mitochondrial function in rats fed a high-fat diet. 264
Schlabritz-Loutsevitch NE, Dudley CJ, Gomez JJ, Nevill CH, Smith BK, Jenkins SL, McDonald TJ, Bartlett TQ, Nathanielsz PW & Nijland MJ Metabolic adjustments to moderate maternal nutrient restriction. 276
Gil A, Gómez-León C & Rueda R Exogenous nucleic acids and nucleotides and are efficiently hydrolysed and taken up as nucleosides by intestinal explants from suckling piglets. 285
Mallinson JE, Sculley DV, Craigon J, Plant R, Langley-Evans SC & Brameld JM Fetal exposure to a maternal low-protein diet during mid-gestation results in muscle-specific effects on fibre type composition in young rats. 292
Hill AM, Worthley C, Murphy KJ, Buckley JD, Ferrante A & Howe PRC *n*-3 Fatty acid supplementation and regular moderate exercise: differential effects of a combined intervention on neutrophil function. 300
Li Y, Yuan L, Yang X, Ni Y, Xia D, Barth S, Grossmann R & Zhao R-Q Effect of early feed restriction on myofibre types and expression of growth-related genes in the gastrocnemius muscle of crossbred broiler chickens. 310
Kiers JL, Nout MJR, Rombouts FM, Nabuurs MJA & van der Meulen J A high molecular weight soluble fraction of tempeh protects against fluid losses in *Escherichia coli*-infected piglet small intestine. 320
Roussel A-M, Andriollo-Sanchez M, Ferry M, Bryden NA & Anderson RA Food chromium content, dietary chromium intake and related biological variables in French free-living elderly. 326
Gariballa S & Forster S Malnutrition is an independent predictor of 1-year mortality following acute illness. 332
Forsythe CE, French MA, Goh YK & Clandinin MT Cholesterolaemic influence of palmitic acid in the sn-1, 3 v. the sn-2 position with high or low dietary linoleic acid in healthy young men. 337
Bene J, Komlósi K, Magyari L, Talián G, Horváth K, Gasztonyi B, Miheller P, Figler M, Mózsik G, Tulassay Z & Melegh B Plasma carnitine ester profiles in Crohn's disease patients characterized for SLC22A4 C1672T and SLC22A5 G-207C genotypes. 345
Larsen CS & Toubro S The effect of conventional *v.* à la carte menu on energy and macronutrient intake among hospitalized cardiology patients. 351

Griffin IJ, Lynch MF, Hawthorne KM, Chen Z, Hamzo MG & Abrams SA Zinc homeostasis in 1–4 year olds consuming diets typical of US children. 358
Fuller Z, Louis P, Mihajlovski A, Rungapamestry V, Ratcliffe B & Duncan AJ Influence of cabbage processing methods and prebiotic manipulation of colonic microflora on glucosinolate breakdown in man. 364
Ahn E-M, Cho S-C, Lee M & Cha Y-S Serum carnitine, triglyceride and cholesterol profiles in Korean neonates. 373
Lockheart MSK, Steffen LM, Rebnord HM, Fimreite RL, Ringstad J, Thelle DS, Pedersen JI & Jacobs DR Dietary patterns, food groups and myocardial infarction: a case–control study. 380
Heald CL, Ritchie MR, Bolton-Smith C, Morton MS & Alexander FE Phyto-oestrogens and risk of prostate cancer in Scottish men. 388
Lutsey PL, Jacobs DR, Kori S, Mayer-Davis E, Shea S, Steffen LM, Szklo M & Tracy R Whole grain intake and its cross-sectional association with obesity, insulin resistance, inflammation, diabetes and subclinical CVD: The MESA Study. 397
Masala G, Ceroti M, Pala V, Krogh V, Vineis P, Sacerdote C, Saieva C, Salvini S, Sieri S, Berrino F, Panico S, Mattiello A, Tumino R, Giurdanella MC, Bamia C, Trichopoulou A, Riboli E & Palli D A dietary pattern rich in olive oil and raw vegetables is associated with lower mortality in Italian elderly subjects. 406
Shin KO, Oh S-Y & Park HS Empirically derived major dietary patterns and their associations with overweight in Korean preschool children. 416
Ayah RA, Mwaniki DL, Magnussen P, Tedstone AE, Marshall T, Alusala D, Luoba A, Kaestel P, Michaelsen KF & Friis H The effects of maternal and infant vitamin A supplementation on vitamin A status: a randomised trial in Kenya. 422
te Velde SJ, Twisk JWR & Brug J Tracking of fruit and vegetable consumption from adolescence into adulthood and its longitudinal association with overweight. 431
Martin CK, Anton SD, York-Crowe E, Heilbronn LK, VanSkiver C, Redman LM, Greenway FL, Ravussin E & Williamson DA Empirical evaluation of the ability to learn a calorie counting system and estimate portion size and food intake. 439
Calder PC Happy Birthday *BJN*! (Editorial). 447
Calder PC Dietary arachidonic acid: harmful, harmless or helpful? (Invited Commentary). 451
Naruszewicz M & Kozlowska-Wojciechowska M Plant sterols beyond low-density lipoprotein-cholesterol (Invited Commentary). 454
Sabaté J Nut consumption and change in weight: the weight of the evidence (Invited Commentary). 456
Lopez-Miranda J, Williams C & Lairon D Dietary, physiological, genetic and pathological influences on postprandial lipid metabolism (Review Article). 458
Leathwood PD, Richardson DP, Sträter P, Todd PM & van Trijp HCM Consumer understanding of nutrition and health claims: sources of evidence (Review Article). 474
Kwun I-S, Cho Y-E, Lomeda R-AR, Kwon S-T, Kim Y & Beattie JH Marginal zinc deficiency in rats decreases leptin expression independently of food intake and corticotrophin-releasing hormone in relation to food intake (Short Communication). 485
Achón M, Alonso-Aperte E, Úbeda N & Varela-Moreiras G Supranormal dietary folic acid supplementation: effects on methionine metabolism in weanling rats. 490
Gayet C, Leray V, Saito M, Siliart B & Nguyen P The effects of obesity-associated insulin resistance on mRNA expression of peroxisome proliferator-activated receptor-γ target genes, in dogs. 497
Koenig KM, Ivan M, Teferedegne BT, Morgavi DP, Rode LM, Ibrahim IM & Newbold CJ Effect of dietary *Enterolobium cyclocarpum* on microbial protein flow and nutrient digestibility in sheep maintained fauna-free, with total mixed fauna or with *Entodinium caudatum* monofauna. 504
Erhuma A, Bellinger L, Langley-Evans SC & Bennett AJ Prenatal exposure to undernutrition and programming of responses to high-fat feeding in the rat. 517
Guarrera S, Sacerdote C, Fiorini L, Marsala R, Polidoro S, Gamberini S, Saletta F, Malaveille C, Talaska G, Vineis P & Matullo G Expression of DNA repair and metabolic genes in response to a flavonoid-rich diet. 525
Chan MY, Gho WM, Chen Z-y, Wang J & Leung LK Oestrogen receptor α is required for biochanin A-induced apolipoprotein A-1 mRNA expression in HepG2 cells. 534

Kleessen B, Schwarz S, Boehm A, Fuhrmann H, Richter A, Henle T & Krueger M Jerusalem artichoke and chicory inulin in bakery products affect faecal microbiota of healthy volunteers. 540
Jia X, Ebine N, Demonty I, Wang Y, Beech R, Muise V, Fortin MG & Jones PJH Hypocholesterolaemic effects of plant sterol analogues are independent of ABCG5 and ABCG8 transporter expressions in hamsters. 550
Dekker MJ, Gusba JE, Robinson LE & Graham TE Glucose homeostasis remains altered by acute caffeine ingestion following 2 weeks of daily caffeine consumption in previously non-caffeine-consuming males. 556
Chan Y-M, Demonty I, Pelled D & Jones PJH Olive oil containing olive oil fatty acid esters of plant sterols and dietary diacylglycerol reduces low-density lipoprotein cholesterol and decreases the tendency for peroxidation in hypercholesterolaemic subjects. 563
Korkmaz M, Şaylı U, Şaylı BS, Bakırdere S, Titretir S, Ataman OY & Keskin S Estimation of human daily boron exposure in a boron-rich area. 571
Engeset D, Andersen V, Hjartåker A & Lund E Consumption of fish and risk of colon cancer in the Norwegian Women and Cancer (NOWAC) study. 576
Bondia-Pons I, Serra-Majem L, Castellote AI & López-Sabater MC Identification of foods contributing to the dietary lipid profile of a Mediterranean population. 583
Jia X, Aucott LS & McNeill G Nutritional status and subsequent all-cause mortality in men and women aged 75 years or over living in the community. 593
Huybrechts I & De Henauw S Energy and nutrient intakes by pre-school children in Flanders-Belgium. 600
López D, Pavelkova M, Gallova L, Simonetti P, Gardana C, Lojek A, Loaiza R & Mitjavila MT Dealcoholized red and white wines decrease oxidative stress associated with inflammation in rats. 611
Holvik K, Madar AA, Meyer HE, Lofthus CM & Stene LC A randomised comparison of increase in serum 25-hydroxyvitamin D concentration after 4 weeks of daily oral intake of 10 μg cholecalciferol from multivitamin tablets or fish oil capsules in healthy young adults. 620
Kusumoto A, Ishikura Y, Kawashima H, Kiso Y, Takai S & Miyazaki M Effects of arachidonate-enriched triacylglycerol supplementation on serum fatty acids and platelet aggregation in healthy male subjects with a fish diet. 626
Henry CJK, Lightowler HJ & Strik CM Effects of long-term intervention with low- and high-glycaemic-index breakfasts on food intake in children aged 8–11 years. 636
Backus RC, Cave NJ & Keisler DH Gonadectomy and high dietary fat but not high dietary carbohydrate induce gains in body weight and fat of domestic cats. 641
Hollis J & Mattes R Effect of chronic consumption of almonds on body weight in healthy humans. 651
Hunter RA Methane production by cattle in the tropics (Letter to the Editor). 657
Collins A *Book Review* 658
Pettinger DC *Book Review* 660
McElhone Dr Sinéad *Book Review* 660
Thurnham DI *Book Review* 661
Summerbell CD & Moore HJ The need for systematic reviews on nutrition and dietetics (Editorial). 663
Powers HJ Folic acid under scrutiny (Invited Commentary). 665
Wright AJA, Dainty JR & Finglas PM Folic acid metabolism in human subjects revisited: potential implications for proposed mandatory folic acid fortification in the UK (Review Article). 667
Danzeisen R, Araya M, Harrison B, Keen C, Solioz M, Thiele D & McArdle HJ How reliable and robust are current biomarkers for copper status? 676
Sahiratmadja E, Wieringa FT, van Crevel R, de Visser AW, Adnan I, Alisjahbana B, Slagboom E, Marzuki S, Ottenhoff THM, van de Vosse E & Marx JJM Iron deficiency and *NRAMP1* polymorphisms (INT4, D543N and 3′UTR) do not contribute to severity of anaemia in tuberculosis in the Indonesian population. 684
Gladine C, Rock E, Morand C, Bauchart D, & Duramd D Bioavailability and antioxidant capacity of plant extracts rich in polyphenols, given as a single acute dose, in sheep made highly susceptible to lipoperoxidation. 691
Goda T, Suruga K, Komori A, Kuranuki S, Mochizuki K, Makita Y & Kumazawa T Effects of miglitol, an α-glucosidase inhibitor, on glycaemic status and histopathological changes in islets in non-obese, non-insulin-dependent diabetic Goto-Kakizaki rats. 702

Yu X, Chen K, Wei N, Zhang Q, Liu J & Mi M Dietary taurine reduces retinal damage produced by photochemical stress via antioxidant and anti-apoptotic mechanisms in Sprague–Dawley rats. 711

Yang Y, Zhou L, Gu Y, Zhang Y, Tang J, Li F, Shang W, Jiang B, Yue X & Chen M Dietary chickpeas reverse visceral adiposity, dyslipidaemia and insulin resistance in rats induced by a chronic high-fat diet. 720

Hsu C-L & Yen G-C Effect of gallic acid on high fat diet-induced dyslipidaemia, hepatosteatosis and oxidative stress in rats. 727

Liong M-T, Dunshea FR & Shah NP Effects of a synbiotic containing *Lactobacillus acidophilus* ATCC 4962 on plasma lipid profiles and morphology of erythrocytes in hypercholesterolaemic pigs on high- and low-fat diets. 736

Cowieson AJ & Ravindran V Effect of phytic acid and microbial phytase on the flow and amino acid composition of endogenous protein at the terminal ileum of growing broiler chickens. 745

Giraldo LA, Ranilla MJ, Tejido ML & Carro MD Influence of exogenous fibrolytic enzymes and fumarate on methane production, microbial growth and fermentation in Rusitec fermenters. 753

Mamabolo RL, Alberts M, Levitt NS, Delemarre-van de Waal HA & Steyn NP Association between insulin-like growth factor-1, insulin-like growth factor-binding protein-1 and leptin levels with nutritional status in 1–3-year-old children, residing in the central region of Limpopo Province, South Africa. 762

Mourente G, Good JE, Thompson KD & Bell JG Effects of partial substitution of dietary fish oil with blends of vegetable oils, on blood leucocyte fatty acid compositions, immune function and histology in European sea bass (Dicentrarchus labrax L.). 770

Huttunen MM, Pekkinen M, Ahlström MEB & Lamberg-Allardt CJE Effects of bioactive peptides isoleucine-proline-proline (IPP), valine-proline-proline (VPP) and leucine-lysine-proline (LKP) on gene expression of osteoblasts differentiated from human mesenchymal stem cells. 780

Palozza P, Serini S, Boninsegna A, Bellovino D, Lucarini M, Monastra G & Gaetani S The growth-inhibitory effects of tomatoes digested *in vitro* in colon adenocarcinoma cells occur through down regulation of cyclin D1, Bcl-2 and Bcl-xL. 789

Bott L, Béghin L, Hankard R, Pierrat V, Gondon E & Gottrand F Resting energy expenditure in children with neonatal chronic lung disease and obstruction of the airways. 796

Spadafranca A, Bertoli S, Fiorillo G, Testolin G & Battezzati A Circulating salicylic acid is related to fruit and vegetable consumption in healthy subjects. 802

Azadbakht L, Kimiagar M, Mehrabi Y, Esmaillzadeh A, Hu FB & Willett WC Dietary soya intake alters plasma antioxidant status and lipid peroxidation in postmenopausal women with the metabolic syndrome. 807

Mursu J, Nurmi T, Tuomainen T-P, Ruusunen A, Salonen JT & Voutilainen S The intake of flavonoids and carotid atherosclerosis: the Kuopio Ischaemic Heart Disease Risk Factor Study. 814

Sioen I, Huybrechts I, Verbeke W, Camp JV & Henauw SD *n*-6 and *n*-3 PUFA intakes of pre-school children in Flanders, Belgium. 819

Bader N, Bosy-Westphal A, Koch A, Rimbach G, Weimann A, Poulsen HE & Müller MJ Effect of hyperbaric oxygen and vitamin C and E supplementation on biomarkers of oxidative stress in healthy men 826

Martins C, Truby H & Morgan LM Short-term appetite control in response to a 6-week exercise programme in sedentary volunteers. 834

Bayol SA, Farrington SJ & Stickland NC A maternal 'junk food' diet in pregnancy and lactation promotes an exacerbated taste for 'junk food' and a greater propensity for obesity in rat offspring. 843

Keogh JB, Brinkworth GD & Clifton PM Effects of weight loss on a low-carbohydrate diet on flow-mediated dilatation, adhesion molecules and adiponectin. 852

Laso N, Brugué E, Vidal J, Ros E, Arnaiz JA, Carné X, Vidal S, Mas S, Deulofeu R & Lafuente A Effects of milk supplementation with conjugated linoleic acid (isomers *cis*-9, *trans*-11 and *trans*-10, *cis*-12) on body composition and metabolic syndrome components. 860

Sahota DP *Book Review* 868

Bundy R *Book Review* 868

te Velde BSJ, W. R. Twisk J & Brug J (CORRIGENDUM). 871

Koletzko B, Cetin I & Brenna JT Dietary fat intakes for pregnant and lactating women (Consensus Statement). 873

Kim H-S, Kim J-S, Kim NS, Kim JH & Lee B-K Association of vitamin D receptor polymorphism with calcaneal broadband ultrasound attenuation in Korean postmenopausal women with low calcium intake (Short Communication). 878

Koch A, König B, Luci S, Stangl GI & Eder K Dietary oxidised fat up regulates the expression of organic cation transporters in liver and small intestine and alters carnitine concentrations in liver, muscle and plasma of rats. 882

Fricke CB, Schrøder M, Poulsen M, von Bergmann K, Wester I, Knudsen I, Mortensen A & Lütjohann D Increased plant sterol and stanol levels in brain of Watanabe rabbits fed rapeseed oil derived plant sterol or stanol esters. 890

Pilvi TK, Korpela R, Huttunen M, Vapaatalo H & Mervaala EM High-calcium diet with whey protein attenuates body-weight gain in high-fat-fed C57Bl/6J mice. 900

Jakobsen J, Maribo H, Bysted A, Sommer HM & Hels O 25-Hydroxyvitamin D_3 affects vitamin D status similar to vitamin D_3 in pigs – but the meat produced has a lower content of vitamin D. 908

Han K-H, Matsumoto A, Shimada K-i, Sekikawa M & Fukushima M Effects of anthocyanin-rich purple potato flakes on antioxidant status in F344 rats fed a cholesterol-rich diet. 914

Fagundes ATS, Moura EG, Passos MCF, Oliveira E, Toste FP, Bonomo IT, Trevenzoli IH, Garcia RMG & Lisboa PC Maternal low-protein diet during lactation programmes body composition and glucose homeostasis in the adult rat offspring. 922

Rave K, Roggen K, Dellweg S, Heise T & tom Dieck H Improvement of insulin resistance after diet with a whole-grain based dietary product: results of a randomized, controlled cross-over study in obese subjects with elevated fasting blood glucose. 929

Giacomo CD, Acquaviva R, Piva A, Sorrenti V, Vanella L, Piva G, Casadei G, Fauci LL, Ritieni A, Bognan M, Renzo LD, Barcellona ML, Morlacchini M & Galvano F Protective effect of cyanidin 3-*O*-β-D-glucoside on ochratoxin A-mediated damage in the rat 937

Jain G, Mukerji G, Dixit A, Manshani N & Yadav YR The impact of nutritional status on the outcome of Indian patients undergoing neurosurgical shunt surgery. 944

Bolca S, Possemiers S, Maervoet V, Huybrechts I, Heyerick A, Vervarcke S, Depypere H, Keukeleire DD, Bracke M, Henauw SD, Verstraete W & Van de Wiele T Microbial and dietary factors associated with the 8-prenylnaringenin producer phenotype: a dietary intervention trial with fifty healthy post-menopausal Caucasian women. 950

Eussen SJPM, Ueland PM, Clarke R, Blom HJ, Hoefnagels WHL, van Staveren WA & de Groot LCPGM The association of betaine, homocysteine and related metabolites with cognitive function in Dutch elderly people 960

Fukushima Y, Miyaguchi S, Yamano T, Kaburagi T, Iino H, Ushida K & Sato K Improvement of nutritional status and incidence of infection in hospitalised, enterally fed elderly by feeding of fermented milk containing probiotic *Lactobacillus johnsonii* La1 (NCC533). 969

Li NY, Li K, Qi Z, Demonty I, Gordon M, Francis L, Molhuizen HOF & Neal BC Plant sterol-enriched milk tea decreases blood cholesterol concentrations in Chinese adults: a randomised controlled trial. 978

Salim S, Farooq N, Priyamvada S, Asghar M, Khundmiri SJ, Khan S, Khan F & Yusufi ANK Influence of Ramadan-type fasting on carbohydrate metabolism, brush border membrane enzymes and phosphate transport in rat kidney used as a model. 984

Bering S, Sjøltov L, Wrisberg SS, Berggren A, Alenfall J, Jensen M, Højgaard L, Tetens I & Bukhave K Viable, lyophilized lactobacilli do not increase iron absorption from a lactic acid-fermented meal in healthy young women, and no iron absorption occurs in the distal intestine. 991

Halm BM, Ashburn LA & Franke AA Isoflavones from soya foods are more bioavailable in children than adults. 998

Cai H, Zheng W, Xiang Y-B, Xu WH, Yang G, Li H & Shu XO Dietary patterns and their correlates among middle-aged and elderly Chinese men: a report from the Shanghai Men's Health Study. 1006

van de Rest O, Durga J, Verhoef P, Melse-Boonstra A & Brants HAM Validation of a food frequency questionnaire to assess folate intake of Dutch elderly people. 1014

Johnston J, Prynne CJ, Stephen AM & Wadsworth MEJ Haem and non-haem iron intake through 17 years of adult life of a British Birth Cohort. 1021

Robinson S, Marriott L, Poole J, Crozier S, Borland S, Lawrence W, Law C, Godfrey K, Cooper C, Inskip H &The Southampton Women's Survey Study Group Dietary patterns in infancy: the importance of maternal and family influences on feeding practice. 1029

Wennberg M, Bergdahl IA, Stegmayr B, Hallmans G, Lundh T, Skerfving S, Strömberg U, Vessby B & Jansson J-H Fish intake, mercury, long-chain *n*-3 polyunsaturated fatty acids and risk of stroke in northern Sweden. 1038

Féart C, Jutand MA, Larrieu S, Letenneur L, Delcourt C, Combe N & Barberger-Gateau P Energy, macronutrient and fatty acid intake of French elderly community dwellers and association with socio-demographic characteristics: data from the Bordeaux sample of the Three-City Study. 1046

Landström E, Hursti U-KK, Becker W & Magnusson M Use of functional foods among Swedish consumers is related to health-consciousness and perceived effect. 1058

Wieringa FT, Berger J, Dijkhuizen MA, Hidayat A, Ninh NX, Utomo B, Wasantwisut E & Winichagoon P Sex differences in prevalence of anaemia and iron deficiency in infancy in a large multi-country trial in South-East Asia. 1070

de Castro JM The time of day and the proportions of macronutrients eaten are related to total daily food intake. 1077

Blossfeld I, Collins A, Boland S, Baixauli R, Kiely M & Delahunty C Relationships between acceptance of sour taste and fruit intakes in 18-month-old infants. 1084

Firestone RA Studies with vitamin E and β-carotene as single agents do not prove lack of benefit (Letter to the Editor). 1092

Elliott R, Pico C, Dommels Y, Wybranska I, Hesketh J & Keijer J Nutrigenomic approaches for benefit-risk analysis of foods and food components: defining markers of health. 1095

Visioli F, Poli A, Peracino A, Luzi L & Paoletti R Assessment of nutritional profiles: a novel system based on a comprehensive approach (Review Article). 1101

Hosea HJ, Rector ES & Taylor CG Dietary zinc deficiency lowers the proportions of splenic CD90 (Thy-1$^+$) B-cells and late thymic emigrant T-cells in growing rats (Short Communication). 1108

Rohrmann S, Zoller D, Hermann S & Linseisen J Intake of heterocyclic aromatic amines from meat in the European Prospective Investigation into Cancer and Nutrition (EPIC)-Heidelberg cohort (Short Communication). 1112

Lykkesfeldt J, Trueba GP, Poulsen HE & Christen S Vitamin C deficiency in weanling guinea pigs: differential expression of oxidative stress and DNA repair in liver and brain (Short Communication). 1116

Chen W-F, Gao Q-G & Wong M-S Mechanism involved in genistein activation of insulin-like growth factor I receptor expression in human breast cancer cells. 1120

Felgines C, Texier O, Besson C, Lyan B, Lamaison J-L & Scalbert A Strawberry pelargonidin glycosides are excreted in urine as intact glycosides and glucuronidated pelargonidin derivatives in rats. 1126

Bermingham EN, McNabb WC, Sutherland IA, Sinclair BR, Treloar BP & Roy NC Intestinal, hepatic, splanchnic and hindquarter amino acid and metabolite partitioning during an established *Trichostrongylus colubriformis* infection in the small intestine of lambs fed fresh Sulla (*Hedysarum coronarium*). 1132

Judé S, Martel E, Vincent F, Besson P, Couet C, Ogilvie GK, Pinault M, De Chalendar C, Bougnoux P, Richard S, Champeroux P, Crozatier B & Le Guennec J-Y Dietary long-chain *n*-3 fatty acids modify blood and cardiac phospholipids and reduce protein kinase-C-δ and protein kinase-C-ϵ translocation. 1143

Javadi M, Geelen MJH, Everts H, Hovenier R, Javadi S, Kappert H & Beynen AC Effect of dietary conjugated linoleic acid on body composition and energy balance in broiler chickens. 1152

Souza-Mello V, Mandarim-de-Lacerda CA & Aguila MB Hepatic structural alteration in adult programmed offspring (severe maternal protein restriction) is aggravated by post-weaning high-fat diet. 1159

Gruendel S, Garcia AL, Otto B, Wagner K, Bidlingmaier M, Burget L, Weickert MO, Dongowski G, Speth M, Katz N & Koebnick C Increased acylated plasma ghrelin, but improved lipid profiles 24-h after consumption of carob pulp preparation rich in dietary fibre and polyphenols. 1170

Kimoto-Nira H, Suzuki C, Kobayashi M, Sasaki K, Kurisaki J-i & Mizumachi K Anti-ageing effect of a lactococcal strain: analysis using senescence-accelerated mice. 1178

Bauchart C, Morzel M, Chambon C, Mirand PP, Reynès C, Buffière C & Rémond D Peptides reproducibly released by *in vivo* digestion of beef meat and trout flesh in pigs 1187

De Angelis M, Rizzello CG, Alfonsi G, Arnault P, Cappelle S, Di Cagno R & Gobbetti M Use of sourdough lactobacilli and oat fibre to decrease the glycaemic index of white wheat bread 1196

Martins SV, Lopes PA, Alfaia CM, Ribeiro VS, Guerreiro TV, Fontes CMGA, Castro MF, Soveral G & Prates JAM Contents of conjugated linoleic acid isomers in ruminant-derived foods and estimation of their contribution to daily intake in Portugal. 1206

Yokoi K, Sandstead HH, Egger NG, Alcock NW, Ramanujam VMS, Dayal HH & Penland JG Association between zinc pool sizes and iron stores in premenopausal women without anaemia. 1214

Berkemeyer S, Bhargava A & Bhargava U Urinary phosphorus rather than urinary calcium possibly increases renal stone formation in a sample of Asian Indian, male stone-formers. 1224

Gigleux I, Jenkins DJA, Kendall CWC, Marchie A, Faulkner DA, Wong JMW, de Souza R, Emam A, Parker TL, Trautwein EA, Lapsley KG, Connelly PW & Lamarche B Comparison of a dietary portfolio diet of cholesterol-lowering foods and a statin on LDL particle size phenotype in hypercholesterolaemic participants. 1229

Wong SYS, Lau WWY, Leung PC, Leung JCS & Woo J The association between isoflavone and lower urinary tract symptoms in elderly men. 1237

Gimeno E, de la Torre-Carbot K, Lamuela-Raventós RM, Castellote AI, Fitó M, de la Torre R, Covas M-I & López-Sabater MC Changes in the phenolic content of low density lipoprotein after olive oil consumption in men. A randomized crossover controlled trial. 1243

Silaste M-L, Alfthan G, Aro A, Kesäniemi YA & Hörkkö S Tomato juice decreases LDL cholesterol levels and increases LDL resistance to oxidation. 1251

Casapía M, Joseph SA, Núñez C, Rahme E & Gyorkos TW Parasite and maternal risk factors for malnutrition in preschool-age children in Belen, Peru using the new WHO Child Growth Standards. 1259

Mariscal-Arcas M, Romaguera D, Rivas A, Feriche B, Pons A, Tur JA & Olea-Serrano F Diet quality of young people in southern Spain evaluated by a Mediterranean adaptation of the Diet Quality Index-International (DQI-I). 1267

Schröder H, Fito M & Covas MI an behalf of the REGICOR investigators Association of fast food consumption with energy intake, diet quality, body mass index and the risk of obesity in a representative Mediterranean population 1274

Foo LH, Zhang Q, Zhu K, Ma G, Greenfield H & Fraser DR Influence of body composition, muscle strength, diet and physical activity on total body and forearm bone mass in Chinese adolescent girls. 1281

de Rougemont A, Normand S, Nazare J-A, Skilton MR, Sothier M, Vinoy S & Laville M Beneficial effects of a 5-week low-glycaemic index regimen on weight control and cardiovascular risk factors in overweight non-diabetic subjects 1288

Sanderson P, Stone E, Kim Y-I, Mathers JC, Kampman E, Downes CS, Muir KR & Baron JA Folate and colo-rectal cancer risk (Workshop Report). 1299

Stanley JC, Elsom RL, Calder PC, Griffin BA, Harris WS, Jebb SA, Lovegrove JA, Moore CS, Riemersma RA & Sanders TAB UK Food Standards Agency Workshop Report: the effects of the dietary *n*-6:*n*-3 fatty acid ratio on cardiovascular health (Workshop Report). 1305

Volume 98
Index of Authors

Abia R, see Pacheco YM, 260
Abrams SA, see Griffin IJ, 358
Achón M, Alonso-Aperte E, Úbeda N, Varela-Moreiras G *Supranormal dietary folic acid supplementation: effects on methionine metabolism in weanling rats*, doi: 10.1017/S0007114507721499, 490
Ackermans M, see Bisschop PH, 181
Acquaviva R, see Giacomo CD, 937
Adnan I, see Sahiratmadja E, 684
Aguila MB, see Souza-Mello V, 1159
Ahlström MEB, see Huttunen MMA, 780
Ahn E-M, Cho S, Lee M & Cha Y-S *Serum carnitine, triglyceride and cholesterol profiles in Korean neonates*, doi: 10.1017/S0007114507708814, 373
Alberts M, see Mamabolo RL, 762
Alcock NW, see Yokoi K, 1214
Alenfall J, see Bering S, 991
Alexander FE, see Heald CL, 388
Alfaia CM, see Martins SV, 1206
Alfonsi G, see De Angelis M, 1196
Alfthan G, see Silaste M-L, 1251
Alisjahbana B, see Sahiratmadja E, 684
Alonso-Aperte E, see Achón M, 490
Alusala D, see Ayah RA, 422
Andersen V, see Engeset D, 576
Anderson RA, see Roussel A-M, 326
Andrés-Lacueva C, see Mata-Bilbao MdL, 86
Andriollo-Sanchez M, see Roussel A-M, 326
Anton SD, see Martin CK, 439
Araya M, see Danzeisen R, 676
Arnaiz JA, see Laso N, 860
Arnault P, see De Angelis M, 1196
Aro A, see Silaste M-L, 1251
Asghar M, see Salim S, 984
Ashburn LA, see Halm BM, 998
Astrup A, see Flint A, 17
Ataman OY, see Korkmaz M, 571
Aucott LS, see Jia X, 593
Ayah RA, Mwaniki DL, Magnussen P, Tedstone AE, Marshall T, Alusala D, Luoba A, Kaestel P, Michaelsen KF & Friis H *The effects of maternal and infant vitamin A supplementation on vitamin A status: a randomised trial in Kenya*, doi: 10.1017/S0007114507705019, 422
Azadbakht L, Kimiagar M, Mehrabi Y, Esmaillzadeh A, Hu FB & Willett WC *Dietary soya intake alters plasma antioxidant status and lipid peroxidation in postmenopausal women with the metabolic syndrome*, doi: 10.1017/S0007114507746871, 807
Azadbakht L, Mirmiran P, Hedayati M, Esmaillzadeh A, Shiva N & Azizi F *Particle size of LDL is affected by the National Cholesterol Education Program (NCEP) step II diet in dyslipidaemic adolescents*, doi: 10.1017/S0007114507657857, 134
Azizi F, see Azadbakht L, 134
Backus RC, Cave NJ & Keisler DH *Gonadectomy and high dietary fat but not high dietary carbohydrate induce gains in body weight and fat of domestic cats*, doi: 10.1017/S0007114507750869, 641
Bader N, Bosy-Westphal A, Koch A, Rimbach G, Weimann A, Poulsen HE & Müller MJ *Effect of hyperbaric oxygen and vitamin C and E supplementation on biomarkers of oxidative stress in healthy men*, doi: 10.1017/S0007114507744380, 826
Baixauli R, see Blossfeld I, 1084
Bakırdere S, see Korkmaz M, 571
Bamia C, see Masala G, 406
Ban-Tokuda T, see Delavaud C, 106
Barberger-Gateau P, see Féart C, 1046
Barcellona ML, see Giacomo CD, 937
Baron JA, see Sanderson P, 1299
Barth S, see Li Y, 310
Bartlett TQ, see Schlabritz-Loutsevitch NE, 276
Battezzati A, see Spadafranca A, 802
Bauchart C, Morzel M, Chambon C, Mirand PP, Reynès C, Buffière C & Rémond D *Peptides reproducibly released by **in vivo** digestion of beef meat and trout flesh in pigs*, doi: 10.1017/S0007114507761810, 1187
Bauchart D, see Gladine, 691
Baumont R, see Delavaud C, 106
Bayol SA, Farrington SJ & Stickland NC *A maternal 'junk food' diet in pregnancy and lactation promotes an exacerbated taste for 'junk food' and a greater propensity for obesity in rat offspring*, doi: 10.1017/S0007114507812037, 843
Beattie JH, see Kwun I-S, 485
Becker K, see Selje N, 45
Becker W, see Landström E, 1058
Beech R, see Jia X, 550
Béghin L, see Bott L, 796
Bell JG, see Mourente G, 770
Bellinger L, see Erhuma A, 517
Bellovino D, see Palozza P, 789
Bene J, Komlósi K, Magyari L, Talián Gábor, Horváth K, Gasztonyi B, Miheller Pál, Figler Mária, Mózsik G, Tulassay Z & Melegh Béla *Plasma carnitine ester profiles in Crohn s disease patients characterized for SLC22A4 C1672T and SLC22A5 G-207C genotypes*, doi: 10.1017/S0007114507705020, 345
Bennett AJ, see Erhuma A, 517
Bergdahl IA, see Wennberg M, 1038
Berger J, see Wieringa FT, 1070
Berggren A, see Bering S, 991
Bering S, Sjøltov L, Wrisberg SS, Berggren A, Alenfall J, Jensen M, Højgaard L, Tetens I & Bukhave K *Viable, lyophilized lactobacilli do not increase iron absorption from a lactic acid-fermented meal in healthy young women, and no iron absorption occurs in the distal intestine*, doi: 10.1017/S0007114507761809, 991
Berkemeyer S, Bhargava A & Bhargava U *Urinary phosphorus rather than urinary calcium possibly increases renal stone formation in a sample of Asian Indian, male stone-formers*, doi: 10.1017/S0007114507778686, 1224
Bermúdez B, see Pacheco YM, 260
Bermingham EN, McNabb WC, Sutherland IA, Sinclair BR, Treloar BP & Roy NC *Intestinal, hepatic, splanchnic and hindquarter amino acid and metabolite partitioning during an established **Trichostrongylus colubriformis** infection in the small intestine of lambs fed fresh Sulla (**Hedysarum coronarium**)*, doi: 10.1017/S0007114507772665, 1132
Berrino F, see Masala G, 406
Berstad P, see Konstantinova SV, 201
Bertoli S, see Spadafranca A, 802
Besson C, see Felgines C, 1126

Besson P, see Judé S, 1143
Beynen AC, see Javadi M, 1152
Bhargava A, see Berkemeyer S, 1224
Bhargava U, see Berkemeyer S, 1224
Bidlingmaier M, see Gruendel S, 1170
Binns CW, see Zhang M, 187
Bisschop PH, Klein S, Ackermans M, Patterson BW, Endert E, van Lanschot JJB, Romijn JA & Sauerwein HP *Pre-operative nutritional status does not alter the metabolic response to major gastrointestinal surgery in patients with oesophageal cancer*, doi: 10.1017/S0007114507695567, 181
Blom HJ, see Eussen SJP, 960
Blossfeld I, Collins A, Boland S, Baixauli R, Kiely M & Delahunty C *Relationships between acceptance of sour taste and fruit intakes in 18-month-old infants*, doi: 10.1017/S0007114507749231, 1084
Bocquier F, see Delavaud C, 106
Boehm A, see Kleessen B, 540
Bognan M, see Giacomo CD, 937
Bohn T, see Unlu NZ, 140
Boland S, see Blossfeld I, 1084
Bolca S, Possemiers S, Maervoet V, Huybrechts I, Heyerick A, Vervarcke S, Depypere H, Keukeleire DD, Bracke M, Henauw SD, Verstraete W & Van de Wiele T *Microbial and dietary factors associated with the 8-prenylnaringenin producer phenotype: a dietary intervention trial with fifty healthy postmenopausal Caucasian women*, doi: 10.1017/S0007114507749243, 950
Bolton-Smith C, see Heald CL, 388
Bondia-Pons I, Serra-Majem L, Castellote AI, Carmen López-Sabater MC *Identification of foods contributing to the dietary lipid profile of a Mediterranean population*, doi: 10.1017/S0007114507727435, 583
Boninsegna A, see Palozza P, 789
Bonomo IT, see Fagundes ATS, 922
Borland S, see Robinson S, 1029
Bosy-Westphal A, see Bader N, 826
Bott L, Béghin L, Hankard R, Pierrat V, Gondon E & Gottrand F *Resting energy expenditure in children with neonatal chronic lung disease and obstruction of the airways*, doi: 10.1017/S0007114507744392, 796
Bougnoux P, see Judé S, 1143
Bracke M, see Bolca S, 950
Brameld JM, see Mallinson JE, 292
Brenna JT, see Koletzko B, 873
Brants HAM, see van de Rest O, 1014
Brinkworth GD, see Keogh JB, 852
Brug J, see te Velde SJ, 431
Brugué E, see Laso N, 860
Bryden NA, see Roussel A-M, 326
Buckley JD, see Hill AM, 300
Buffière C, see Bauchart C, 1187
Bugajewska A, see Walkowiak J, 154
Bukhave K, see Bering S 991
Bukusuba J, Kikafunda JK & Whitehead RG *Food security status in households of people living with HIV/AIDS (PLWHA) in a Ugandan urban setting*, doi: 10.1017/S0007114507691806, 211
Bundy R *Folic acid metabolism in human subjects revisited: potential implications for proposed mandatory folic acid fortification in the UK*, doi: 10.1017/S0007114507777152, 868
Burget L, see Gruendel S, 1170
Bysted A, see Jakobsen J, 908
Cai H, Zheng W, Xiang Y-B, Xu WH, Yang G, Li H & Shu XO *Dietary patterns and their correlates among middle-aged and elderly Chinese men: a report from the Shanghai Men's Health Study*, doi: 10.1017/S0007114507750900, 1006
Calder PC, see Stanley JC, 1305
Calder PC *Dietary arachidonic acid: harmful, harmless or helpful?*, doi: 10.1017/S0007114507761779, 451
Calder PC *Happy Birthday **BJN!***, doi: 10.1017/S0007114507803990, 447
Camp JV, see Sioen I, 819
Cani PD, Hoste S, Guiot Y & Delzenne NM *Dietary non-digestible carbohydrates promote L-cell differentiation in the proximal colon of rats*, doi: 10.1017/S0007114507691648, 32
Cappelle S, see De Angelis M, 1196
Carné X, see Laso N, 860
Carro MD, see Giraldo LA, 753
Casadei G, see Giacomo CD, 937
Casapía M, Joseph SA, Núñez C, Rahme E & Gyorkos TW *Parasite and maternal risk factors for malnutrition in preschool-age children in Belen, Peru using the new WHO Child Growth Standards*, doi: 10.1017/S0007114507795272, 1259
Cashman KD, see Joost H-G, 26
Castellote AI, see Bondia-Pons I, 583
Castellote AI, see Gimeno E, 1243
Castro MF, see Martins SV, 1206
Cave NJ, see Backus RC, 641
Ceroti M, see Masala G, 406
Cetin I, see Koletzko B, 873
Cha Y, see Ahn E-M, 373
Chaillou E, see Delavaud C, 106
Chambon C, see Bauchart C, 1187
Champeroux P, see Judé S, 1143
Chan MY, Gho WM, Chen Z-Y, Wang J & Leung LK *Oestrogen receptor α is required for biochanin A-induced apolipoprotein A-I mRNA expression in HepG2 cells*, doi: 10.1017/S0007114507750857, 534
Chan Y-M, Demonty I, Pelled D & Jones PJH *Olive oil containing olive oil fatty acid esters of plant sterols and dietary diacylglycerol reduces low-density lipoprotein cholesterol and decreases the tendency for peroxidation in hypercholesterolaemic subjects*, doi: 10.1017/S0007114507730775, 563
Chao P-M, Huang H-L, Liao C-H, Huang S-T & Huang C-j *A high oxidised frying oil content diet is less adipogenic, but induces glucose intolerance in rodents*, doi: 10.1017/S000711450769000X, 63
Chen K, see Yu X, 711
Chen M, see Yang Y, 720
Chen W-F, Gao Q-G & Wong M-S *Mechanism involved in genistein activation of insulin-like growth factor I receptor expression in human breast cancer cells*, doi: 10.1017/S0007114507777139, 1120
Chen Z-Y, see Chan MY, 534
Chen Z, see Griffin IJ, 358
Chilliard Y, see Delavaud C, 106
Cho S, see Ahn E-M, 373
Cho Y-E, see Kwun I-S, 485
Choi JS, Koh I, Jung MH & Song J *Effects of three different conjugated linoleic acid preparations on insulin signalling, fat oxidation and mitochondrial function in rats fed a high-fat diet*, doi: 10.1017/S000711450770497X, 264
Christen S, see Lykkesfeldt J, 1116
Clandinin MT, see Forsythe CE, 337
Clarke R, see Eussen SJPM, 960
Clifton PM, see Keogh JB, 852
Clinton SK, see Unlu NZ, 140
Collins A, see Blossfeld I, 1084
Collins A *Book Review*, doi: 10.1017/S0007114507708838, 659
Colquhoun IJ, see Kemsley EK, 1
Combe N, see Féart C, 1046
Connelly PW, see Gigleux I, 1229
Cooper C, see Robinson S, 1029
Couet C, see Judé S 1143
Covas M, see Gimeno E, 1243
Cowieson AJ & Ravindran V *Effect of phytic acid and microbial phytase on the flow and amino acid composition of endogenous protein at the terminal ileum of growing broiler chickens*, doi:

10.1017/S0007114507750894, 745
Coxam V, see Sabboh H, 72
Covas MI, see Schröder H, 1274
Craigon J, see Mallinson JE, 292
Crozatier B, see Judé S, 1143
Crozier S, see Robinson S, 1029
Curry L, see Keenan BJM, 445
Dainty JR, see Kemsley EK, 1
Dainty JR, see Wright AJA, 667
Danzeisen R, Araya M, Harrison B, Keen C, Solioz M, Thiele D & McArdle HJ *How reliable and robust are current biomarkers for copper status?* doi: 10.1017/S0007114507798951, 676
Dayal HH, see Yokoi K, 1214
de Castro JM *The time of day and the proportions of macronutrients eaten are related to total daily food intake*, doi: 10.1017/S0007114507754296, 1077
De Angelis M, Rizzello CG, Alfonsi G, Arnault P, Cappelle S, Di Cagno R & Gobbetti M *Use of sourdough lactobacilli and oat fibre to decrease the glycaemic index of white wheat bread*, - doi: 10.1017/S0007114507772689, 1196
De Chalendar C, see Judé S, 1143
de Groot LCPGM, see Eussen SJPM, 960
Dekker MJ, Gusba JE, Robinson LE & Graham TE *Glucose homeostasis remains altered by acute caffeine ingestion following 2 weeks of daily caffeine consumption in previously non-caffeine-consuming males*, doi: 10.1017/S0007114507730738, 556
de la Torre R, see Gimeno E, 1243
de la Torre-Carbot K, see Gimeno E, 1243
Delahunty C, see Blossfeld I, 1084
Delavaud C, Bocquier F, Baumont R, Chaillou E, Ban-Tokuda T & Chilliard Y *Body fat content and feeding level interact strongly in the short- and medium-term regulation of plasma leptin during underfeeding and re-feeding in adult sheep*, doi: 10.1017/S0007114507704968, 106
Delcourt C, see Féart C, 1046
Delemarre-van de Waal HA, see Mamabolo RL, 762
Dellweg S, see Rave K, 929
Delzenne NM, see Cani PD, 32
Demigné C, see Sabboh H, 72
Demonty I, see Chan Y-M, 563
Demonty I, see Jia X, 550
Demonty I, see Li NY, 978
Depypere H, see Bolca S, 950
de Rougemont A, Normand S, Nazare J-A, Skilton MR, Sothier M, Vinoy S & Laville M *Beneficial effects of a 5-week low-glycaemic index regimen on weight control and cardiovascular risk factors in overweight non-diabetic subjects*, doi: 10.1017/S0007114507778674, 1288
de Souza R, see Gigleux I, 1229
de Visser A, see Sahiratmadja E, 684
Deulofeu R, see Laso N, 860
Di Cagno R, see De Angelis M, 1196
Dijkhuizen MA, see Wieringa FT, 1070
Dixit A, see Jain G, 944
Dodwell LM, see Henry CJK, 147
Dommels Y, see Elliott R, 1095
Dongowski G, see Gruendel S, 1170
Downes C, see Sanderson P, 1299
Drevon CA, see Konstantinova SV, 201
Dudley CJ, see Schlabritz-Loutsevitch NE, 276
Duncan AJ, see Fuller Z, 364
Dunshea FR, see Liong M-T, 736
Durand D, see Gladine C, 691
Durga J, see van de Rest O, 1014
Ebine N, see Jia X, 550
Eder K, see Koch A, 882
Egger NG, see Yokoi K, 1124
Elliott R, Pico C, Dommels Y, Wybranska I, Hesketh J & Keijer J *Nutrigenomic approaches for benefit-risk analysis of foods and food components: defining markers of health*, doi: 10.1017/S0007114507803400, 1095
Elmes MJ, Gardner DS, Langley-Evans SC *Fetal exposure to a maternal low-protein diet is associated with altered left ventricular pressure response to ischaemiareperfusion injury*, doi: 10.1017/S000711450769182X, 93
Elsom RL, see Stanley JC, 1305
Emam A, see Gigleux I, 1229
Endert E, see Bisschop PH, 181
Engeset D, Andersen V, Hjartåker A & Lund E *Consumption of fish and risk of colon cancer in the Norwegian Women and Cancer (NOWAC) study*, doi: 10.1017/S0007114507721487, 1273
Erhuma A, Bellinger L, Langley-Evans SC & Bennett AJ *Prenatal exposure to undernutrition and programming of responses to high-fat feeding in the rat*, doi: 10.1017/S0007114507721505, 517
Escribano E, see Mata-Bilbao MdL, 86
Esmaillzadeh A, see Azadbakht L, 134
Esmaillzadeh A, see Azadbakht L, 807
Eussen SJPM, Ueland PM, Clarke R, Blom HJ, Hoefnagels WHL, van Staveren WA & de Groot LCPGM *The association of betaine, homocysteine and related metabolites with cognitive function in Dutch elderly people*, doi: 10.1017/S0007114507750912, 960
Everts H, see Javadi M, 1152
Féart C, Jutand MA, Larrieu S, Letenneur L, Delcourt C, Combe N, Barberger-Gateau P *Energy, macronutrient and fatty acid intake of French elderly community dwellers and association with socio-demographic characteristics: data from the Bordeaux sample of the Three-City Study*, doi: 10.1017/S0007114507756520, 1046
Fito M, see Schröder H, 1274
Fagundes ATS, Moura EG, Passos MCF, Oliveira E, Toste FP, Bonomo IT, Trevenzoli IH, Garcia RMG & Lisboa PC *Maternal low-protein diet during lactation programmes body composition and glucose homeostasis in the adult rat offspring*, doi: 10.1017/S0007114507750924, 922
Farooq N, see Salim S, 984
Farrington SJ, see Bayol SA, 843
Fauci LL, see Giacomo CD, 937
Faulkner DA, see Gigleux I, 1229
Fava F, Mäkivuokko H, Siljander-Rasi H, Putaala H, Tiihonen K, Stowell J, Tuohy K, Gibson G & Rautonen N *Effect of polydextrose on intestinal microbes and immune functions in pigs*, doi: 10.1017/S0007114507691818, 123
Felgines C, Texier O, Besson C, Lyan B, Lamaison J-L & Scalbert A *Strawberry pelargonidin glycosides are excreted in urine as intact glycosides and glucuronidated pelargonidin derivatives in rats*, doi: 10.1017/S0007114507764772, 1126
Feriche B, see Mariscal-Arcas M, 1267
Ferrante A, see Hill AM, 300
Ferry M, see Roussel A-M, 326
Figler Mária, see Bene J, 345
Fimreite RL, see Lockheart MSK, 380
Finglas PM, see Wright AJA, 667
Fiorillo G, see Spadafranca A, 802
Fiorini L, see Guarrera S, 525
Firestone RA *Studies with vitamin E and β-carotene as single agents do not prove lack of benefit*, doi: 10.1017/S0007114507727447, 1092
Fitó M, see Gimeno E, 1243
Flint A, Gregersen NT, Gluud LL, Møller BK, Raben A, Tetens I, Verdich C & Astrup A *Associations between postprandial insulin and blood glucose responses, appetite sensations and energy intake in normal weight and overweight individuals: a meta-analysis of test meal studies*, doi: 10.1017/S000711450768297X, 17
Fontes CMGA, see Martins SV 1206

Forrester T, see McKenzie CA, 159
Forster S, see Gariballa S, 332
Forsythe CE, French MA, Goh YK & Clandinin MT *Cholesterolaemic influence of palmitic acid in the sn-1, 3 v. the sn-2 position with high or low dietary linoleic acid in healthy young men*, doi: 10.1017/S0007114507704993, 337
Fortin MG, see Jia X, 550
Francis DM, see Unlu NZ, 140
Francis L, see Li NY, 978
Franke AA, see Halm BM, 998
Fraser DR, see Foo LH, 1281
French MA, see Forsythe CE, 337
Fricke CB, Schrøder M, Poulsen M, von Bergmann K, Wester I, Knudsen I, Mortensen A & Lütjohann D *Increased plant sterol and stanol levels in brain of Watanabe rabbits fed rapeseed oil derived plant sterol or stanol esters*, doi: 10.1017/S0007114507756532, 890
Friis H, see Ayah RA, 422
Foo LH, Zhang Q, Zhu K, Ma G, Greenfield H & Fraser DR *Influence of body composition, muscle strength, diet and physical activity on total body and forearm bone mass in Chinese adolescent girls*, doi: 10.1017/S0007114507787421, 1281
Fuhrmann H, see Kleessen B, 540
Fukushima M, see Han K-H, 914
Fukushima Y, Miyaguchi S, Yamano T, Kaburagi T, Iino H, Ushida K & Sato K *Improvement of nutritional status and incidence of infection in hospitalised, enterally fed elderly by feeding of fermented milk containing probiotic **Lactobacillus johnsonii** La1 (NCC533)*, doi: 10.1017/S0007114507764723, 969
Fuller Z, Louis P, Mihajlovski A, Rungapamestry V, Ratcliffe B & Duncan AJ *Influence of cabbage processing methods and prebiotic manipulation of colonic microflora on glucosinolate breakdown in man*, doi: 10.1017/S0007114507709091, 364
Gaetani S, see Palozza P, 789
Gall GL, see Kemsley EK, 1
Gallova L, see López D, 611
Galvano F, see Giacomo CD, 937
Gamberini S, see Guarrera S, 525
Gao Q-G, see Chen W-F, 1120
Garcia AL, see Gruendel S, 101
Garcia RMG, see Fagundes ATS, 922
Gardana C, see López D, 611
Gardana C, Guarnieri S, Riso P, Simonetti P & Porrini M *Flavanone plasma pharmacokinetics from blood orange juice in human subjects*, doi: 10.1017/S0007114507699358, 165
Gardner DS, see Elmes MJ, 93
Gariballa S & Forster S *Malnutrition is an independent predictor of 1-year mortality following acute illness*, doi: 10.1017/S0007114507701708, 332
Gasztonyi B, see Bene J, 345
Gayet C, Leray V, Saito M, Siliart B & Nguyen P *The effects of obesity-associated insulin resistance on mRNA expression of peroxisome proliferator-activated receptor-γ target genes, in dogs*, doi: 10.1017/S000711450772514X, 497
Geelen MJ, see Javadi M, 1152
Gho WM, see Chan MY, 534
Giacomo CD, Acquaviva R, Piva A, Sorrenti V, Vanella L, Piva G, Casadei G, Fauci LL, Ritieni A, Bagnan M, Renzo LD, Barcellona ML, Morlacchini M & Galvano F *Protective effect of cyanidin 3-**O**-β-*D-glucoside on ochratoxin A-mediated damage in the rat, doi: 10.1017/S0007114507756908, 937
Gibney MJ, see Joost H, 26
Gibson G, see Fava F, 123
Gigleux I, Jenkins DJA, Kendall CWC, Marchie A, Faulkner DA, Wong JMW, de Souza R, Emam A, Parker TL, Trautwein EA, Lapsley KG, Connelly PW & Lamarche B *Comparison of a dietary portfolio diet of cholesterol-lowering foods and a statin on LDL particle size phenotype in hypercholesterolaemic participants*, doi: 10.1017/S0007114507781461, 1229
Gil A, Gómez-León C & Rueda R *Exogenous nucleic acids and nucleotides are efficiently hydrolysed and taken up as nucleosides by intestinal explants from suckling piglets*, doi: 10.1017/S000711450770908X, 285
Gimeno E, de la Torre-Carbot K, Lamuela-Raventós RM, Castellote AI, Fitó M, de la Torre R, Covas M-I, López-Sabater MC *Changes in the phenolic content of low density lipoprotein after olive oil consumption in men. A randomized crossover controlled trial*, doi: 10.1017/S0007114507778698, 1243
Giraldo LA, Ranilla MJ, Tejido ML & Carro MD *Influence of exogenous fibrolytic enzymes and fumarate on methane production, microbial growth and fermentation in Rusitec fermenters*, doi: 10.1017/S0007114507744446, 753
Giurdanella MC, see Masala G, 406
Gladine C, Rock E, Morand C, Bauchart D & Durand D Bioavailability and antioxidant capacity of plant extracts rich in polyphenols, given as a single acute dose, in sheep made highly susceptible to lipoperoxidation, doi: 10.1017/S0007114507742666, 691
Gluud LL, see Flint A, 17
Gómez-León C, see Gil A, 285
Görman U, see Joost H-G, 26
Gobbetti M, see De Angelis M, 1196
Goda T, Suruga K, Komori A, Kuranuki S, Mochizuki K, Makita Y & Kumazawa T *Effects of miglitol, an α-glucosidase inhibitor, on glycaemic status and histopathological changes in islets in non-obese, non-insulin-dependent diabetic Goto-Kakizaki rats*, doi: 10.1017/S0007114507742678, 702
Godfrey K, see Robinson S, 1029
Goh YK, see Forsythe CE, 337
Gomez JJ, see Schlabritz-Loutsevitch NE, 276
Gondon E, see Bott L, 796
Good JE, see Mourente G, 770
Gordon M, see Li NY, 978
Gottrand F, see Bott L, 796
Goulson M, see Keenan BJM, 445
Guennec JL, see Judé S-Y, 1143
Graham TE, see Dekker MJ, 556
Greenfield H, see Huat Foo LH, 1281
Greenway FL, see Martin CK, 439
Gregersen NT, see Flint A, 17
Griffin BA, see Stanley JC, 1305
Griffin IJ, Lynch MF, Hawthorne KM, Chen Z, Hamzo MG & Abrams SA *The effect of conventional v. a' la carte menu on energy and macronutrient intake among hospitalized cardiology patients*, doi: 10.1017/S0007114507708796, 351
Grossmann R, see Li Y, 310
Gruendel S, Garcia AL, Otto B, Wagner K, Bidlingmaier M, Burget L, Weickert MO, Dongowski G, Speth M, Katz N & Koebnick C *Increased acylated plasma ghrelin, but improved lipid profiles 24-h after consumption of carob pulp preparation rich in dietary fibre and polyphenols*, doi: 10.1017/S0007114507777127, 1170
Gruendel S, Otto B, Garcia AL, Wagner K, Mueller C, Weickert M, Heldwein W & Koebnick C *Carob pulp preparation rich in insoluble dietary fibre and polyphenols increases plasma glucose and serum insulin responses in combination with a glucose load in humans*, doi: 10.1017/S0007114507701642, 101
Gu Y, see Yang Y, 720
Guarnieri S, see Gardana C, 165
Guarrera S, Sacerdote C, Fiorini L, Marsala R, Polidoro S, Gamberini S, Saletta F, Malaveille C, Talaska G, Vineis P & Matullo G *Expression of DNA repair and metabolic genes in response to a flavonoid-rich diet*, doi: 10.1017/S0007114507725151, 525
Guerreiro TV, see Martins SV, 1206
Guennec JL, see Judé S, 1143
Guiot Y, see Cani PD, 32

Guo HL, see Yang XF, 116
Gusba JE, see Dekker MJ, 556
Gyorkos TW, see Casapía M, 1259
Hallmans G, see Wennberg M, 1038
Halm BM, Ashburn LA & Franke AA *Isoflavones from soya foods are more bioavailable in children than adults,* doi: 10.1017/S0007114507771866, 998
Hamzo MG, see Griffin IJ, 358
Han K-H, Matsumoto A, Shimada K-i, Sekikawa M & Fukushima M *Effects of anthocyanin-rich purple potato flakes on anti-oxidant status in F344 rats fed a cholesterol-rich diet,* doi: 10.1017/S0007114507761792, 914
Hanchard NA, see McKenzie CA, 159
Hankard R, see Bott L, 796
Hao LP, see Yang XF, 116
Harris WS, see Stanley JC, 1305
Harrison B, see Danzeisen R, 676
Harvey LJ, see Kemsley EK, 1
Hawthorne KM, see Griffin IJ, 358
Henauw SD, see Bolca S, 950
Henauw SD, see Huybrechts I, 600
Heald CL, Ritchie MR, Bolton-Smith C, Morton MS & Alexander FE *Phyto-oestrogens and risk of prostate cancer in Scottish men,* doi: 10.1017/S0007114507700703, 388
Heath Nevill C, see Schlabritz-Loutsevitch NE, 276
Hedayati M, see Azadbakht L, 134
Heilbronn LK, see Martin CK, 439
Heise T, see Rave K, 929
Heldwein W, see Gruendel S, 101
Hels O, see Jakobsen J, 908
Henauw SD, see Sioen I, 819
Henle T, see Kleessen B, 540
Henry CJK, Lightowler HJ, Dodwell LM & Wynne JM *Glycaemic index and glycaemic load values of cereal products and weight-management meals available in the UK,* doi: 10.1017/S000711450769179X, 147
Henry CJK, Lightowler HJ & Strik CM *Effects of long-term intervention with low- and high-glycaemic-index breakfasts on food intake in children aged 8–11 years,* doi: 10.1017/S0007114507727459, 636
Hermann S, see Rohrmann S, 1112
Hesketh J, see Elliott R, 1095
Hesketh JE, see Joost H-G, 26
Heyerick A, see Bolca S, 950
Hidayat A, see Wieringa FT, 1070
Hill AM, Worthley C, Murphy KJ, Buckley JD, Ferrante A & Howe PRC *n-3 Fatty acid supplementation and regular moderate exercise: differential effects of a combined intervention on neutrophil function,* doi: 10.1017/S0007114507707286, 300
Hjartåker A, see Engeset D, 576
Højgaard L, see Bering S, 991
Hörkkö S, see Silaste M-L, 1251
Hoefnagels WHL, see Eussen SJPM, 960
Hoffmann EM, see Selje N, 45
Hollis J & Mattes R *Effect of chronic consumption of almonds on body weight in healthy humans,* doi: 10.1017/S0007114507734608, 651
Holman CDJ, see Zhang M, 187
Holvik K, Madar AA, Meyer HE, Lofthus CM & Stene LC *A randomised comparison of increase in serum 25-hydroxyvitamin D concentration after 4 weeks of daily oral intake of 10 μg cholecalciferol from multivitamin tablets or fish oil capsules in healthy young adults,* doi: 10.1017/S000711450773074X, 620
Hong Xu W, see Cai H, 1006
Horcajada M-N, see Sabboh H, 72
Horváth K, see Bene J, 345
Horvath A, Koletzko B & Szajewska H *Effect of supplementation of women in high-risk pregnancies with long-chain polyunsaturated fatty acids on pregnancy outcomes and growth measures at birth: a meta-analysis of randomized controlled trials,* doi: 10.1017/S0007114507709078, 253
Hosea HJ, Rector ES & Taylor CG *Dietary zinc deficiency lowers the proportions of splenic CD90$^+$ (Thy-1$^+$) B-cells and late thymic emigrant T-cells in growing rats,* doi: 10.1017/S000711450777188X, 1108
Hoste S, see Cani PD, 32
Hou XH, see Yang XF, 116
Hovenier R, see Javadi M, 1152
Howe PRC, see Hill AM, 300
Hsu C-L & Yen G-C *Effect of gallic acid on high fat diet-induced dyslipidaemia, hepatosteatosis and oxidative stress in rats,* doi: 10.1017/S000711450774686X, 727
Hu FB, see Azadbakht L, 807
Hu M-L, see Lin C-Y, 226
Huang C-j, see Chao P-M, 63
Huang C-S, see Lin C-Y, 226
Huang H-L, see Chao P-M, 63
Huang S-T, see Chao P-M, 63
Hunter RA *Methane production by cattle in the tropics,* doi: 10.1017/S0007114507727460, 657
Hursti, U-KK, see Landström E, 1058
Huttunen M, see Pilvi TK, 900
Huttunen MM, Pekkinen M, Ahlström MEB, Lamberg-Allardt CJE *Effects of bioactive peptides isoleucine-proline-proline (IPP), valine-proline-proline (VPP) and leucine-lysine-proline (LKP) on gene expression of osteoblasts differentiated from human mesenchymal stem cells,* doi: 10.1017/S0007114507744434, 780
Huybrechts I, see Bolca S, 950
Huybrechts I, see Sioen I, 819
Huybrechts I & De Henauw S *Energy and nutrient intakes by pre-school children in Flanders-Belgium,* doi: 10.1017/S000711450773458X, 600
Ibrahim IM, see Koenig KM, 504
Iino H, see Fukushima Y, 969
Inskip H, see Robinson S, 1029
Ishikura Y, see Kusumoto A,626
Ito S, see McKenzie CA, 159
Ivan M, see Koenig KM, 504
Jáuregui O, see Mata-Bilbao MdL, 86
Jacobs DR, see Lockheart MSK, 380
Jacobs DR, see Lutsey PL, 397
Jain G, Mukerji G, Dixit A, Manshani N & Yadav YR *The impact of nutritional status on the outcome of Indian patients undergoing neurosurgical shunt surgery†,* doi: 10.1017/S0007114507749218, 944
Jakobsen J, Maribo H, Bysted A, Sommer HM & Hels O *25-Hydroxyvitamin D_3 affects vitamin D status similar to vitamin D_3 in pigs – but the meat produced has a lower content of vitamin D,* doi: 10.1017/S0007114507756933, 908
Jansson J-H, see Wennberg M, 1038
Javadi M, Geelen MJH, Everts H, Hovenier R, Javadi S, Kappert H & Beynen AC *Effect of dietary conjugated linoleic acid on body composition and energy balance in broiler chickens,* - doi: 10.1017/S0007114507772677, 1152
Javadi S, see Javadi M, 1152
Jebb SA, see Stanley JC, 1305
Jenkins DJA, see Gigleux I, 1229
Jenkins SL, see Schlabritz-Loutsevitch NE, 276
Jensen M, see Bering S, 991
Jia X, Aucott LS & McNeill G *Nutritional status and subsequent all-cause mortality in men and women aged 75 years or over living in the community,* doi: 10.1017/S0007114507725163, 593
Jia X, Ebine N, Demonty I, Wang Y, Beech R, Muise V, Fortin MG & Jones PJH *Hypocholesterolaemic effects of plant sterol analogues are independent of ABCG5 and ABCG8 transporter expressions in hamsters,* doi: 10.1017/

S0007114507721517, 550
Jiang B, see Yang Y, 720
Johnston J, Prynne CJ, Stephen AM & Wadsworth MEJ *Haem and non-haem iron intake through 17 years of adult life of a British Birth Cohort*, doi: 10.1017/S0007114507749255, 1021
Jones PJH, see Chan Y-M, 563
Jones PJH, see Jia X, 550
Joost H-G, Gibney MJ, Cashman KD, Görman U, Hesketh JE, Mueller M, Ommen Bv, Williams CM & Mathers JC *Personalised nutrition: status and perspectives.*, doi: 10.1017/S0007114507685195, 26
Joseph SA, see Casapía M, 1259
Judé S, Martel E, Vincent F, Besson P, Couet C, Ogilvie GK, Pinault M, De Chalendar C, Bougnoux P, Richard S, Champeroux P, Crozatier B & Le Guennec J-Y *Dietary long-chain n-3 fatty acids modify blood and cardiac phospholipids and reduce protein kinase-C-δ and protein kinase-C-ϵ translocation*, doi: 10.1017/S0007114507798914, 1143
Jung MH, see Choi JS, 264
Jutand MA, see Féart C, 1046
Kaburagi T, see Fukushima Y, 969
Kaestel P, see Ayah RA, 422
Kampman E, see Sanderson P, 1299
Kappert H, see Javadi M, 1152
Katz N, see Gruendel S, 1170
Kawashima H, see Kusumoto A, 626
Kesäniemi YA, see Silaste M-L, 1251
Keukeleire DD, see Bolca S, 950
Keen C, see Danzeisen R, 676
Keenan BJM, Goulson M, Shamliyan T, Knutson N, Kolberg L & Curry L *The effects of concentrated barley β-glucan on blood lipids in a population of hypercholesterolaemic men and women*, doi: 10.1017/S0007114507782156, 445
Keijer J, see Elliott R, 1095
Keisler DH, see Backus RC, 641
Kemsley EK, Gall GL, Dainty JR, Watson AD, Harvey LJ, Tapp HS & Colquhoun IJ *Multivariate techniques and their application in nutrition: a metabolomics case study*, doi: 10.1017/S0007114507685365, 1
Kendall CWC, see Gigleux I, 1229
Keogh JB, Brinkworth GD & Clifton PM *Effects of weight loss on a low-carbohydrate diet on flow-mediated dilatation, adhesion molecules and adiponectin*, doi: 10.1017/S0007114507747815, 852
Khan F, see Salim S, 984
Khan S, see Salim S, 984
Khundmiri SJ, see Salim S, 984
Kiely M, see Blossfeld I, 1084
Kiers JL, Nout MJR, Rombouts FM, Nabuurs MJA & van der Meulen J *Food security status in households of people living with HIV/AIDS (PLWHA) in a Ugandan urban setting*, doi: 10.1017/S0007114507721463, 320
Kikafunda JK, see Bukusuba J, 211
Kim H-S, Kim J-S, Kim NS, Kim JH & Lee B-K *Association of vitamin D receptor polymorphism with calcaneal broadband ultrasound attenuation in Korean postmenopausal women with low calcium intake*, doi: 10.1017/S0007114507756921, 878
Kim J-S, see Kim H-S, 878
Kim JH, see Kim H-S, 878
Kim NS, see Kim H-S, 878
Kim SW, see Li P, 237
Kim Y, see Kwun I-S, 485
Kim Y, see Sanderson P, 1299
Kimiagar M, see Azadbakht L, 807
Kimoto-Nira H, Suzuki C, Kobayashi M, Sasaki K, Kurisaki J-i & Mizumachi K *Anti-ageing effect of a lactococcal strain: analysis using senescence-accelerated mice*, doi: 10.1017/S0007114507787469, 1178
Kirkland JB, see Thorn SL, 78
Kiso Y, see Kusumoto A, 626
Kleessen B, Schwarz S, Boehm A, Fuhrmann H, Richter A, Henle T & Krueger M *Jerusalem artichoke and chicory inulin in bakery products affect faecal microbiota of healthy volunteers*, doi: 10.1017/S0007114507730751, 540
Klein S, see Bisschop PH, 181
Knudsen I, see Fricke CB, 890
Knutson N, see Keenan BJM, 445
König B, see Koch A, 882
Kobayashi M, see Kimoto-Nira H, 1178
Koch A, see Bader N, 826
Koch A, König B, Luci S, Stangl GI & Eder K *Dietary oxidised fat up regulates the expression of organic cation transporters in liver and small intestine and alters carnitine concentrations in liver, muscle and plasma of rats*, doi: 10.1017/S000711450775691X, 882
Koebnick C, see Gruendel S, 101
Koebnick C, see Gruendel S, 1170
Koenig KM, Ivan M, Teferedegne BT, Morgavi DP, Rode LM, Ibrahim IM & Newbold CJ *Effect of dietary Enterolobium cyclocarpum* on microbial protein flow and nutrient digestibility in sheep maintained fauna-free, with total mixed fauna or with *Entodinium caudatum* monofauna, doi: 10.1017/S0007114507723930, 504
Koh I-U, see Choi JS, 264
Kolberg L, see Keenan BJM
Koletzko B, see Horvath A, 253
Koletzko B, Cetin I & Brenna JT *Dietary fat intakes for pregnant and lactating women*, doi: 10.1017/S0007114507764747, 873
Komlósi K, see Bene J, 345
Komori A, see Goda T, 702
Konstantinova SV, Vollset SE, Berstad P, Ueland PM, Drevon CA, Refsum H & Tell GS *Dietary predictors of plasma total homocysteine in the Hordaland Homocysteine Study*, doi: 10.1017/S0007114507691788, 201
Kori S, see Lutsey PL, 397
Korkmaz M, Şaylı U, Sıtkı Şaylı B, Bakırdere S, Titretir S, Ataman OY & Sıddık K *Estimation of human daily boron exposure in a boron-rich area*, doi: 10.1017/S000711450770911X, 571
Korpela R, see Pilvi TK, 900
Kozlowska-Wojciechowska M, see Naruszewicz M, 454
Krogh V, see Masala G, 406
Krueger M, see Kleessen B, 540
Kumazawa T, see Goda T, 702
Kuranuki S, see Goda T, 702
Kurisaki J-i, see Kimoto-Nira H, 1178
Kusumoto A, Ishikura Y, Kawashima H, Kiso Y, Takai S & Miyazaki M *Effects of arachidonate-enriched triacylglycerol supplementation on serum fatty acids and platelet aggregation in healthy male subjects with a fish diet*, doi: 10.1017/S0007114507734566, 626
Kwon S-T, see Kwun I-S, 485
Kwun I-S, Cho Y-E, Lomeda R-AR, Kwon S-T, Kim Y & Beattie JH *Marginal zinc deficiency in rats decreases leptin expression independently of food intake and corticotrophin-releasing hormone in relation to food intake*, doi: 10.1017/S0007114507730763, 485
Lafuente A, see Laso N, 860
Lairon D, see Lopez-Miranda J, 458
Lamaison J-L, see Felgines C, 1126
Lamarche B, see Gigleux I, 1229
Lamberg-Allardt CJE, see Huttunen MM, 780
Lamuela-Raventós RM, see Gimeno E, 1243
Lamuela-Raventós RM, see Mata-Bilbao MdL, 86
Landström E, Hursti U-KK, Becker W & Magnusson M *Use of functional foods among Swedish consumers is related to health-consciousness and perceived effect*, doi: 10.1017/S0007114507761780, 1058
Langley-Evans SC, see Elmes MJ, 93

Langley-Evans SC, see Erhuma A, 517
Langley-Evans SC, see Mallinson JE, 292
Lapsley KG, see Gigleux I, 1229
Larrieu S, see Féart C, 1046
Larsen CS & Toubro S *The effect of conventional v. a' la carte menu on energy and macronutrient intake among hospitalized cardiology patients,* doi: 10.1017/S0007114507707274, 351
Laso N, Brugué E, Vidal J, Ros E, Arnaiz JA, Carné X, Vidal S, Mas S, Deulofeu R & Lafuente A *Effects of milk supplementation with conjugated linoleic acid (isomers cis-9, trans-11 and trans-10, cis-12) on body composition and metabolic syndrome components,* doi: 10.1017/S0007114507750882, 860
Lau WWY, see Wong SYS, 1237
Laville M, see de Rougemont A, 1288
Law C, see Robinson S, 1029
Lawrence W, see Robinson S, 1029
Leathwood PD, Richardson DP, Sträter P, Todd PM & van Trijp HCM *Consumer understanding of nutrition and health claims: sources of evidence,* doi: 10.1017/S000711450778697X, 474
Lee B-K, see Kim H-S, 878
Lee M, see Ahn E-M, 373
Leray V, see Gayet C, 497
Letenneur L, see Féart C, 1046
Leung JCS, see Wong SYS, 1237
Leung LK, see Chan MY, 534
Leung PC, see Wong SYS, 1237
Levitt NS, see Mamabolo RL, 762
Li D, see Li P, 237
Li F, see Yang Y, 720
Li H, see Cai H, 1006
Li K, see Li NY, 978
Li NY, Li K, Qi Z, Demonty I, Gordon M, Francis L, Molhuizen HOF & Neal BC *Plant sterol-enriched milk tea decreases blood cholesterol concentrations in Chinese adults: a randomised controlled trial,* doi: 10.1017/S0007114507754302, 978
Li P, Yin Y, Li D, Woo Kim S & Wu G-L *Amino acids and immune function,* doi: 10.1017/S00071145076993610, 237
Li Y, Yuan L, Yang X, Ni Y, Xia D, Barth S, Grossmann R & Zhao R-Q *Effect of early feed restriction on myofibre types and expression of growth-related genes in the gastrocnemius muscle of crossbred broiler chickens,* doi: 10.1017/S0007114507699383, 310
Liao C-H, see Chao P-M, 63
Lightowler HJ, see Henry CJK, 147
Lightowler HJ, see Henry CJK, 636
Lin C-Y, Huang C-S & Hu M-L *The use of fetal bovine serum as delivery vehicle to improve the uptake and stability of lycopene in cell culture studies,* doi: 10.1017/S0007114507691752, 226
Linseisen J, see Nagel G, 194
Linseisen J, see Rohrmann S, 1112
Liong M-T, Dunshea FR & Shah NP *Effects of a synbiotic containing Lactobacillus acidophilus* ATCC 4962 on plasma lipid profiles and morphology of erythrocytes in hypercholesterolaemic pigs on high- and low-fat diets, doi: 10.1017/S0007114507747803, 736
Lisboa PC, see Fagundes ATS, 922
Lisowska A, see Walkowiak J, 154
Liu J, see Yu X, 711
Liu LG, see Yang XF, 116
López D, Pavelkova M, Gallova L, Simonetti P, Gardana C, Lojek A, Loaiza R & Mitjavila MT *Dealcoholized red and white wines decrease oxidative stress associated with inflammation in rats,* doi: 10.1017/S0007114507721475, 611
López S, see Pacheco YM, 260
Loaiza R, see López D, 611
Lockheart MSK, Steffen LM, Rebnord HM, Fimreite RL, Ringstad J, Thelle DS, Pedersen JI & Jacobs DR *Dietary patterns, food groups and myocardial infarction: a casecontrol study,* doi: 10.1017/S0007114507701654, 380
Lofthus CM, see Holvik K, 620
Lojek A, see López D, 611
Lomeda R-AR, see Kwun I-S, 485
López-Sabater MC, see Bondia-Pons I, 583
López-Sabater MC, see Gimeno E, 1243
Lopes PA, see Martins SV, 1206
Lopez-Miranda J, Williams C & Lairon D *Dietary, physiological, genetic and pathological influences on postprandial lipid metabolism,* doi: 10.1017/S000711450774268X, 458
Louis P, see Fuller Z, 364
Lovegrove JA, see Stanley JC, 1305
Lütjohann D, see Fricke CB, 890
Lucarini M, see Palozza P, 789
Luci S, see Koch A, 882
Lund E, see Engeset D, 576
Lundh T, see Wennberg M, 1038
Luoba A, see Ayah RA, 422
Lutsey PL, Jacobs DR, Kori S, Mayer-Davis E, Shea S, Steffen LM, Szklo M & Tracy R *Whole grain intake and its cross-sectional association with obesity, insulin resistance, inflammation, diabetes and subclinical CVD: The MESA Study,* doi: 10.1017/S0007114507700715, 397
Luzi L, see Visioli F, 1101
Lyan B, see Felgines C, 1126
Lykkesfeldt J, Trueba GP, Poulsen HE & Christen S *Vitamin C deficiency in weanling guinea pigs: differential expression of oxidative stress and DNA repair in liver and brain,* doi: 10.1017/S0007114507787457, 1116
Lynch MF, see Griffin IJ, 358
Mäkivuokko H, see Fava F, 123
Maervoet V, see Bolca S, 950
Magnussen P, see Ayah RA, 422
Magnusson M, see Landström E, 1058
Magyari L, see Bene J, 345
Makita Y, see Goda T, 702
Malaveille C, see Guarrera S, 525
Mallinson JE, Sculley DV, Craigon J, Plant R, Langley-Evans SC & Brameld JM *Fetal exposure to a maternal low-protein diet during mid-gestation results in muscle-specific effects on fibre type composition in young rats,* doi: 10.1017/S0007114507701678, 292
Mamabolo RL, Alberts M, Levitt NS, Delemarre-van de Waal HA & Steyn NP *Association between insulin-like growth factor-1, insulin-like growth factor-binding protein-1 and leptin levels with nutritional status in 1–3-year-old children, residing in the central region of Limpopo Province, South Africa,* doi: 10.1017/S0007114507742708, 762
Mandarim-de-Lacerda CA, see Souza-Mello V, 1159
Manshani N, see Jain G, 944
Marchie A, see Gigleux I, 1229
Maribo H, see Jakobsen J, 908
Mariscal-Arcas M, Romaguera D, Rivas A, Feriche B, Pons A, Tur JA, Olea-Serrano F *Diet quality of young people in southern Spain evaluated by a Mediterranean adaptation of the Diet Quality Index-International (DQI-I),* doi: 10.1017/S0007114507781424, 1267
Marniemi J, see Mikkilä V, 218
Marriott L, see Robinson S, 1029
Marsala R, see Guarrera S, 525
Marshall T, see Ayah RA, 422
Martel E, see Judé S, 1143
Martin CK, Anton SD, York-Crowe E, Heilbronn LK, VanSkiver C, Redman LM, Greenway FL, Ravussin E & Williamson DA *Empirical evaluation of the ability to learn a calorie counting system and estimate portion size and food intake,* - doi: 10.1017/S0007114507708802, 439

Martins C, Truby H & Morgan LM *Short-term appetite control in response to a 6-week exercise programme in sedentary volunteers,* doi: 10.1017/S000711450774922X, 834
Martins SV, Lopes PA, Alfaia CM, Ribeiro VS, Guerreiro TV, Fontes CMGA, Castro MF, Soveral G & Prates JAM *Contents of conjugated linoleic acid isomers in ruminant-derived foods and estimation of their contribution to daily intake in Portugal,* doi: 10.1017/S0007114507781448, 1206
Marx JJM, see Sahiratmadja E, 684
Marzuki S, see Sahiratmadja E, 684
Mas S, see Laso N, 860
Masala G, Ceroti M, Pala V, Krogh V, Vineis P, Sacerdote C, Saieva C, Salvini S, Sieri S, Berrino F, Panico S, Mattiello A, Tumino R, Giurdanella MC, Bamia C, Trichopoulou A, Riboli E & Palli D *A dietary pattern rich in olive oil and raw vegetables is associated with lower mortality in Italian elderly subjects,* doi: 10.1017/S0007114507704981, 406
Mata-Bilbao MdL, Andrés-Lacueva C, Roura E, Jáuregui O, Escribano E, Torre C, Lamuela-Raventós RM *Absorption and pharmacokinetics of grapefruit flavanones in beagles,* doi: 10.1017/S0007114507707262, 86
Mathers JC, see Joost H-G, 26
Mathers JC, see Sanderson P, 1299
Matsumoto A, see Han K-H, 914
Matteo B, see Giacomo CD, 937
Mattes R, see Hollis J, 651
Mattiello A, see Masala G, 406
Matullo G, see Guarrera S, 525
Maughan RJ, see Shirreffs SM, 173
Mayer-Davis E, see Lutsey PL, 397
McArdle HJ, see Danzeisen R, 676
McCarthy S *Book review,* doi: 10.1079/BJN20061933, 233
McDonald TJ, see Schlabritz-Loutsevitch NE, 276
McElhone DS *Book Review,* doi: 10.1017/S0007114507709108, 660
McKenzie CA, Wakamatsu K, Hanchard NA, Forrester T & Ito S *Childhood malnutrition is associated with a reduction in the total melanin content of scalp hair,* doi: 10.1017/S0007114507694458, 159
McNabb WC, see Bermingham EN, 1132
McNeill G, see Jia X, 593
Mehrabi Y, see Azadbakht L, 807
Melegh Béla, see Bene J, 345
Melse-Boonstra A, see van de Rest O, 1014
Mervaala EM, see Pilvi TK, 900
Meyer HE, see Holvik K, 620
Mi M, see Yu X, 711
Michaelsen KF, see Ayah RA, 422
Mihajlovski A, see Fuller Z, 364
Miheller Pál, see Bene J, 345
Mikkilä V, Räsänen L, Raitakari OT, Marniemi J, Pietinen P, Rönnemaa T & Viikari JL *Major dietary patterns and cardiovascular risk factors from childhood to adulthood. The Cardiovascular Risk in Young Finns Study,* doi: 10.1017/S0007114507691831, 218
Milgen JV, see Wilfart A, 54
Mirand PP, see Bauchart C, 1187
Mirmiran P, see Azadbakht L, 134
Mitjavila MT, see López D, 611
Miyaguchi S, see Fukushima Y, 969
Miyazaki M, see Kusumoto A, 626
Mizumachi K, see Kimoto-Nira H, 1178
Mochizuki K, see Goda T, 702
Møller BK, see Flint A, 17
Molhuizen HOF, see Li NY, 978
Monastra G, see Palozza P, 789
Montagne L, see Wilfart A, 54
Moore CS, see Stanley JC, 1305
Moore HJ, see Summerbell CD, 663
Morand C, see Gladine C, 691
Morgan LM, see Martins C, 834
Morgavi DP, see Koenig KM, 504
Morlacchini M, see Giacomo CD, 937
Mortensen A, see Fricke CB, 890
Morton MS, see Heald CL, 388
Morzel M, see Bauchart C, 1187
Moura EG, see Fagundes ATS, 922
Mueller C, see Gruendel S, 101
Mueller M, see Joost H-G, 26
Muetzel S, see Selje N, 45
Muir KR, see Sanderson P, 1299
Muise V, see Jia X, 550
Mukerji G, see Jain G, 944
Muriana FJG, see Pacheco YM, 260
Murphy KJ, see Hill AM, 300
Mursu J, Nurmi T, Tuomainen T-P, Ruusunen A, Salonen JT & Voutilainen S *The intake of flavonoids and carotid atherosclerosis: the Kuopio Ischaemic Heart Disease Risk Factor Study,* doi: 10.1017/S0007114507744410, 814
Mwaniki DL, see Ayah RA, 422
Nabuurs MJA, see Kiers JL, 320
Nagaraja HN, see Unlu NZ, 140
Nagel G, Zoller D, Ruf T, Rohrmann S & Linseisen J *Long-term reproducibility of a food-frequency questionnaire and dietary changes in the European Prospective Investigation into Cancer and Nutrition (EPIC)-Heidelberg cohort,* doi: 10.1017/S0007114507691636, 194
Naruszewicz M, Kozlowska-Wojciechowska M *Plant sterols beyond low-density lipoprotein-cholesterol,* doi: 10.1017/S0007114507781473, 454
Nathanielsz PW, see Schlabritz-Loutsevitch NE, 276
Nazare J-A, see de Rougemont A, 1288
Neal BC, see Li NY, 978
Nevil CH, see Schlabritz-Loutsevitch NE, 276
Newbold CJ, see Koenig KM, 504
Newbold CJ *New products for rumen manipulation,* doi: 10.1017/S0007114507699371, 15
Nguyen P, see Gayet C, 497
Ni Y, see Li Y, 310
Nijland M, see Schlabritz-Loutsevitch NE, 276
Ningrat R, see Selje N, 45
Ninh NX, see Wieringa FT, 1070
Noblet J, see Wilfart A, 54
Normand S, see de Rougemont A, 1288
Nout MJR, see Kiers JL, 320
Núñez C, see Casapía M, 1259
Nurmi T, see Mursu J, 814
O'Brien N, see O'Sullivan L, 38
O'Sullivan L, Ryan L & O'Brien N *Comparison of the uptake and secretion of carotene and xanthophyll carotenoids by Caco-2 intestinal cells,* doi: 10.1017/S0007114507694461O, 38
Ogilvie GK, see Judé S, 1143
Oh S, see Shin KO, 416
Olea-Serrano F, see Mariscal-Arcas M, 1267
Oliveira E, see Fagundes ATS, 922
Ommen Bv, see Joost H-G, 26
Ottenhoff THM, see Sahiratmadja E, 684
Otto B, see Gruendel S, 1070
Pacheco YM, Bermúdez B, López S, Abia R, Villar J & Muriana FJG *Minor compounds of olive oil have postprandial anti-inflammatory effects,* doi: 10.1017/S0007114507701666, 260
Pala V, see Masala G, 406
Palli D, see Masala G, 406
Palozza P, Serini S, Boninsegna A, Bellovino D, Lucarini M, Monastra G & Gaetani S *The growth-inhibitory effects of tomatoes digested in vitro* in colon adenocarcinoma cells occur through down regulation of cyclin D1, Bcl-2 and Bcl-xL, doi: 10.1017/S0007114507746883, 789

Panico S, see Masala G, 406
Paoletti R, see Visioli F, 1101
Park HS, see Shin KO, 416
Parker TL, see Gigleux I, 1229
Passos MCF, see Fagundes ATS, 922
Patterson BW, see Bisschop PH, 181
Pavelkova M, see López D, 611
Pedersen JI, see Lockheart MSK, 380
Pekkinen M, see Huttunen MM, 780
Pelled D, see Chan Y-M, 563
Penland JG, see Yokoi K, 1214
Peracino A, see Visioli F, 1101
Pettinger DC *Book Review*, doi: 10.1017/S000711450770884X, 660
Pico C, see Elliott R, 1095
Pierrat V, see Bott L, 796
Pietinen P, see Mikkilä V, 218
Pilvi TK, Korpela R, Huttunen M, Vapaatalo H & Mervaala EM *High-calcium diet with whey protein attenuates body-weight gain in high-fat-fed C57Bl/6J mice*, doi: 10.1017/S0007114507764760, 900
Pinault M, see Judé S, 1143
Piva A, see Giacomo CD, 937
Piva G, see Giacomo CD, 937
Plant R, see Mallinson JE, 292
Poli A, see Visioli F, 1101
Polidoro S, see Guarrera S, 525
Pons A, see Mariscal-Arcas M, 1267
Poole J, see Robinson S, 1029
Porrini M, see Gardana C, 165
Possemiers S, see Bolca S, 950
Poulsen HE, see Bader N, 826
Poulsen HE, see Lykkesfeldt J, 1116
Poulsen M, see Fricke CB, 890
Powers HJ *Folic acid under scrutiny*, doi: 10.1017/S0007114507795326, 665
Prates JAM, see Martins SV, 1206
Priyamvada S, see Salim S, 984
Prynne CJ, see Johnston J, 1021
Przyslawski J, see Walkowiak J, 154
Putaala H, see Fava F, 123
Qi Z, see Li NY, 978
Räsänen L, see Mikkilä V, 218
Raben A, see Flint A, 17
Rahme E, see Casapía M, 1259
Raitakari OT, see Mikkilä V, 218
Ramanujam VMS, see Yokoi K, 1214
Ranilla MJ, see Giraldo LA, 753
Ratcliffe B, see Fuller Z, 364
Rautonen N, see Fava F, 123
Rave K, Roggen K, Dellweg S, Heise T & tom Dieck H *Improvement of insulin resistance after diet with a whole-grain based dietary product: results of a randomized, controlled cross-over study in obese subjects with elevated fasting blood glucose*, doi: 10.1017/S0007114507749267, 929
Ravindran V, see Cowieson AJ, 745
Ravussin E, see Martin CK, 439
Rebnord HM, see Lockheart MSK, 380
Rector ES, see Hosea HJ, 1108
Redman LM, see Martin CK, 439
Refsum H, see Konstantinova SV, 201
Rémésy C, see Sabboh H, 72
Rémond D, see Bauchart C, 1187
Renzo LD, see Giacomo CD, 937
Reynès C, see Bauchart C, 1187
Ribeiro VS, see Martins SV, 1206
Riboli E, see Masala G, 406
Richard S, see Judé S, 1143
Richardson DP, see Leathwood PD, 474
Richter A, see Kleessen B, 540
Riemersma RA, see Stanley JC, 1305
Rimbach G, see Bader N, 826
Ringstad J, see Lockheart MSK, 380
Riso P, see Gardana C, 165
Ritchie MR, see Heald CL, 388
Ritieni A, see Giacomo CD, 937
Rivas A, see Mariscal-Arcas M, 1267
Rizzello CG, see De Angelis M, 1196
Robinson LE, see Dekker MJ, 556
Robinson S, Marriott L, Poole J, Crozier S, Borland S, Lawrence W, Law C, Godfrey K, Cooper C, Inskip H & The Southampton Woman's Survey study Group *Dietary patterns in infancy: the importance of maternal and family influences on feeding practice*, doi: 10.1017/S0007114507750936, 1029
Rock E, see Gladine C, 691
Rode LM, see Koenig KM, 504
Roggen K, see Rave K, 929
Rohrmann S, see Nagel G, 194
Rohrmann S, Zoller D, Hermann S & Linseisen J *Intake of heterocyclic aromatic amines from meat in the European Prospective Investigation into Cancer and Nutrition (EPIC)-Heidelberg cohort*, doi: 10.1017/S000711450778145X, 1112
Romaguera D, see Mariscal-Arcas M, 1267
Rombouts FM, see Kiers JL, 320
Romijn JA, see Bisschop PH, 181
Rönnemaa T, see Mikkilä V, 218
Ros E, see Laso N, 860
Roura E, see Mata-Bilbao MdL, 86
Roussel A-M, Andriollo-Sanchez M, Ferry M, Bryden NA & Anderson RA *Food chromium content, dietary chromium intake and related biological variables in French*, doi: 10.1017/S000711450770168X, 326
Roy NC, see Bermingham EN, 1132
Rueda R, see Gil A, 285
Ruf T, see Nagel G, 194
Rungapamestry V, see Fuller Z, 364
Ruusunen A, see Mursu J, 814
Ryan L, see O'Sullivan L, 38
Sabaté J *Nut consumption and change in weight: the weight of the evidence*, doi: 10.1017/S0007114507791869, 456
Sabboh H, Coxam V, Horcajada M-N, Rémésy C & Demigné C *Effects of plant food potassium salts (citrate, galacturonate or tartrate) on acidbase status and digestive fermentations in rats*, doi: 10.1017/S0007114507701691, 72
Sacerdote C, see Guarrera S, 525
Sacerdote C, see Masala G, 406
Sahiratmadja E, Wieringa FT, van Crevel R, de Visser AW, Adnan I, Alisjahbana B, Slagboom E, Marzuki S, Ottenhoff THM, van de Vosse E & Marx JJM *Iron deficiency and NRAMP1* polymorphisms (INT4, D543N and 3′UTR) do not contribute to severity of anaemia in tuberculosis in the Indonesian population, doi: 10.1017/S0007114507742691, 684
Sahota DP *Book Review*, doi: 10.1017/S0007114507744379, 868
Saieva C, see Masala G, 406
Saito M, see Gayet C, 497
Saletta F, see Guarrera S, 525
Salim S, Farooq N, Priyamvada S, Asghar M, Khundmiri SJ, Khan S, Khan F & Yusufi ANK *Influence of Ramadan-type fasting on carbohydrate metabolism, brush border membrane enzymes and phosphate transport in rat kidney used as a model*, doi: 10.1017/S0007114507764759, 984
Salonen JT, see Mursu J, 814
Salvini S, see Masala G, 406
Sanders TAB, see Stanley JC, 1305
Sanderson P, Stone E, Kim Y-I, Mathers JC, Kampman E, Downes CS, Muir KR & Baron JA *Folate and colo-rectal cancer risk*, doi: 10.1017/S0007114507771908, 1299
Sandstead HH, see Yokoi K, 1214

Sasaki K, see Kimoto-Nira H, 1178
Sato K, see Fukushima Y, 969
Sauerwein HP, see Bisschop PH, 181
Scalbert A, see Felgines C, 1126
Şaylı U, see Korkmaz, 571
Sitkı Şaylı B, see Korkmaz, 571,
Schlabritz-Loutsevitch NE, Dudley CJ, Gomez JJ, Heath Nevill C, Smith BK, Jenkins SL, McDonald TJ, Bartlett TQ, Nathanielsz PW & Nijland M *Metabolic adjustments to moderate maternal nutrient restriction*, doi: 10.1017/S0007114507700727, 276
Schrøder M, see Fricke CB, 890
Schröder H, Fito M & Covas MI *Association of fast food consumption with energy intake, diet quality, body mass index and the risk of obesity in a representative Mediterranean population*, doi: 10.1017/S0007114507781436, 1274
Schwartz SJ, see Unlu NZ, 140
Schwarz S, see Kleessen B, 540
Sculley DV, see Mallinson JE, 292
Sekikawa M, see Han K-H, 914
Selje N, Hoffmann EM, Muetzel S, Ningrat R, Wallace RJ & Becker K *Results of a screening programme to identify plants or plant extracts that inhibit ruminal protein degradation*, doi: 10.1017/S0007114507472506, 45
Serini S, see Palozza P, 789
Serra-Majem L, see Bondia-Pons I, 583
Shah NP, see Liong M-T, 736
Shamliyan T, see Keenan BJM, 445
Shang W, see Yang Y, 720
Shea S, see Lutsey PL, 397
Sıddık K, see Korkmaz M, 571
Shimada K-i, see Han K-H, 914
Shin KO, Oh S & Park HS *Empirically derived major dietary patterns and their associations with overweight in Korean preschool children*, doi: 10.1017/S0007114507720226, 416
Shirreffs SM, Watson P & Maughan RJ *Milk as an effective post-exercise rehydration drink*, doi: 10.1017/S0007114507695543, 173
Shiva N, see Azadbakht L, 134
Sieri S, see Masala G, 406
Silaste M-L, Alfthan G, Aro A, Kesäniemi YA & Hörkkö S *Tomato juice decreases LDL cholesterol levels and increases LDL resistance to oxidation*, doi: 10.1017/S0007114507787445, 1251
Siliart B, see Gayet C, 497
Siljander-Rasi H, see Fava F, 123
Simmins H, see Wilfart A, 54
Simonetti P, see Gardana C, 165
Simonetti P, see López D, 611
Sinclair BR, see Bermingham EN, 1132
Sioen I, Huybrechts I, Verbeke W, Camp JV & Henauw SD *n*-6 and *n*-3 PUFA intakes of pre-school children in Flanders, Belgium, doi: 10.1017/S0007114507756544, 819
Sjøltov L, see Bering S, 991
Skerfving S, see Wennberg M, 1038
Skilton MR, see de Rougemont A, 1288
Slagboom E, see Sahiratmadja E, 684
Smith BK, see Schlabritz-Loutsevitch NE, 276
Solioz M, see Danzeisen R, 676
Sommer HM, see Jakobsen J, 908
Song J, see Choi JS, 264
Sorrenti V, see Giacomo CD, 937
Sothier M, see de Rougemont A, 1288
Souza-Mello V, Mandarim-de-Lacerda CA & Aguila MB *Hepatic structural alteration in adult programmed offspring (severe maternal protein restriction) is aggravated by post-weaning high-fat diet*, doi: 10.1017/S0007114507771878, 1159
Soveral G, see Martins SV, 1206
Shu XO, see Cai H, 1006
Spadafranca A, Bertoli S, Fiorillo G, Testolin G & Battezzati A *Circulating salicylic acid is related to fruit and vegetable consumption in healthy subjects*, doi: 10.1017/S0007114507744422, 802
Speth M, see Gruendel S, 1170
Stangl GI, see Koch A, 882
Stanley JC, Elsom RL, Calder PC, Griffin BA, Harris WS, Jebb SA, Lovegrove JA, Moore CS, Riemersma RA & Sanders TAB *UK Food Standards Agency Workshop Report: the effects of the dietary n-6:n-3* fatty acid ratio on cardiovascular health, doi: 10.1017/S000711450784284X, 1305
Steffen LM, see Lockheart MSK, 380
Steffen LM, see Lutsey PL, 397
Stegmayr B, see Wennberg M, 1038
Stene LC, see Holvik K, 620
Stephen AM, see Johnston J, 1021
Steyn NP, see Mamabolo RL, 762
Stickland NC, see Bayol SA, 843
Stone E, see Sanderson P, 1299
Stowell J, see Fava F, 123
Sträter P, see Leathwood PD, 474
Strömberg U, see Wennberg M, 1038
Strik CM, see Henry CJK, 636
Summerbell CD & Moore HJ *The need for systematic reviews on nutrition and dietetics*, doi: 10.1017/S0007114507795314, 663
Sun XF, see Yang XF, 116
Suruga K, see Goda T, 691
Sutherland IA, see Bermingham EN, 1132
Suzuki C, see Kimoto-Nira H, 1178
Szaflarska-Poplawska A, see Walkowiak J, 154
Szajewska H, see Horvath A, 253
Szklo M, see Lutsey PL, 397
Takai S, see Kusumoto A
Talaska G, see Guarrera S, 525
Talián Gábor, see Bene J, 345
Tang J, see Yang Y, 720
Tapp HS, see Kemsley EK, 1
Taylor CG, see Hosea HJ, 1108
te Velde BSJ, W. R. Twisk J & Brug J *CORRIGENDUM*, doi: 10.1017/S0007114507815856, 871
te Velde SJ, Twisk JWR & Brug J *Tracking of fruit and vegetable consumption from adolescence into adulthood and its longitudinal association with overweight*, doi: 10.1017/S0007114507721451, 431
Tedstone AE, see Ayah RA, 422
Teferedegne BT, see Koenig KM, 504
Tejido ML, see Giraldo LA, 753
Tell GS, see Konstantinova SV, 201
Testolin G, see Spadafranca A, 802
Tetens I, see Bering S, 991
Tetens I, see Flint A, 17
Texier O, see Felgines C, 1126
Thelle DS, see Lockheart MSK, 380
Thiele D, see Danzeisen R, 676
Thompson KD, see Mourente G, 770
Thorn SL, Young GS & Kirkland JB *The guinea-pig is a poor animal model for studies of niacin deficiency and presents challenges in any study using purified diets*, doi: 10.1017/S0007114507707663, 78
Thurnham DI *Book Review*, doi: 10.1017/S0007114507723929, 661
Tiihonen K, see Fava F, 571
Titretir S, see Korkmaz MdL, 571
Todd PM, see Leathwood PD, 474
tom Direct H, see Rave K, 929
Torre C, see Mata-Bilbao M
Toste FP, see Fagundes ATS, 922
Toubro Søren, see Larsen CS, 351
Tracy R, see Lutsey PL, 397
Trautwein EA, see Gigleux I, 1229

Treloar BP, see Bermingham EN, 1132
Trevenzoli IH, see Fagundes ATS, 922
Trichopoulou A, see Masala G, 406
Trueba GP, see Lykkesfeldt J, 1116
Truby H, see Martins C, 834
tom Dieck H, see Rave K, 929
Tulassay Z, see Bene J, 345
Tumino R, see Masala G, 406
Tuohy K, see Fava F, 123
Tuomainen T, see Mursu J, 814
Tur JA, see Mariscal-Arcas M, 1267
Twisk JWR, see te Velde SJ, 431
Ueland PM, see Eussen SJPM, 960
Ueland PM, see Konstantinova SV, 201
Unlu NZ, Bohn T, Francis DM, Nagaraja HN, Clinton SK & Schwartz SJ *Lycopene from heat-induced cis-isomer-rich tomato sauce is more bioavailable than from all-trans-rich tomato sauce in human subjects*, doi: 10.1017/S0007114507685201, 140
Ushida K, see Fukushima Y, 969
Utomo B, see Wieringa FT, 1070
UK Food Standards Agency Workshop Report: the effects of the dietary n-6:n-3 fatty acid ratio on cardiovascular health, doi: 10.1017/S000711450784284X, 1012
Úbeda N, see Achón M, 490
van Crevel R, see Sahiratmadja E, 684
van Lanschot JJB, see Bisschop PH, 181
van Staveren WA, see Eussen SJPM, 960
van Trijp HCM, see Leathwood PD, 474
van de Rest O, Durga J, Verhoef P, Melse-Boonstra A & Brants HAM *Validation of a food frequency questionnaire to assess folate intake of Dutch elderly people*, doi: 10.1017/S0007114507747827, 1014
van de Vosse E, see Sahiratmadja E, 684
van der Meulen J, see Kiers JL, 320
Van de Wiele T, see Bolca S, 950
VanSkiver C, see Martin CK, 439
van Trilp HCM, see Leathwood PD, 474
Vanella L, see Giacomo CD, 937
Vapaatalo H, see Pilvi TK, 900
Varela-Moreiras G, see Achón M, 490
Verbeke W, see Sioen I, 819
Verdich C, see Flint A, 17
Verhoef P, see van de Rest O, 1014
Verstraete W, see Bolca S, 950
Vervarcke S, see Bolca S, 950
Vessby B, see Wennberg M, 1038
Vidal J, see Laso N, 860
Vidal S, see Laso N, 860
Viikari J, see Mikkilä V, 218
Villar J, see Pacheco YM, 260
Vincent F, see Judé S, 1143
Vineis P, see Guarrera S, 525
Vineis P, see Masala G, 406
Vinoy S, see de Rougemont A, 1288
Visioli F, Poli A, Peracino A, Luzi L & Paoletti R *Assessment of nutritional profiles: a novel system based on a comprehensive approach*, doi: i0.1017/S0007114507853475, 1101
von Bergmann K, see Fricke CB, 890
Vollset SE, see Konstantinova SV
Voutilainen S, see Mursu J, 814
W. R. Twisk J, see te Velde BSJ, 431
Wadolowska L, see Walkowiak J, 154
Wadsworth MEJ, see Johnston J, 1021
Wagner K, see Gruendel S, 101
Wagner K, see Gruendel S, 1170
Wakamatsu K, see McKenzie CA, 159
Walkowiak J, Wadolowska L, Szaflarska-Poplawska A, Lisowska A, Bugajewska A & Przyslawski J *The elimination of meat from the diet selectively decreases pancreatic elastase secretion*, doi: 10.1017/S0007114507691764, 154
Wallace RJ, see Selje N, 45
Wang J, see Chan MY, 534
Wang Y, see Jia X, 550
Wasantwisut E, see Wieringa FT, 1070
Watson AD, see Kemsley EK, 1
Watson P, see Shirreffs SM, 173
Wei N, see Yu X, 711
Weickert MO, see Gruendel S, 1170
Weimann A, see Bader N, 826
Wennberg M, Bergdahl IA, Stegmayr B, Hallmans G, Lundh T, Skerfving S, Strömberg U, Vessby B & Jansson J *Fish intake, mercury, long-chain n-3* polyunsaturated fatty acids and risk of stroke in northern Sweden, doi: 10.1017/S0007114507756519, 1038
Wester I, see Fricke CB, 890
Whitehead RG, see Bukusuba J, 201
Wieringa FT, see Sahiratmadja E, 684
Wieringa FT, Berger J, Dijkhuizen MA, Hidayat A, Ninh NX, Utomo B, Wasantwisut E & Winichagoon P *Sex differences in prevalence of anaemia and iron deficiency in infancy in a large multi-country trial in South-East Asia*, doi: 10.1017/S0007114507756945, 1070
Wilfart A, Montagne L, Simmins H, Noblet J & Milgen JV *Digesta transit in different segments of the gastrointestinal tract of pigs as affected by insoluble fibre supplied by wheat bran*, doi: 10.1017/S0007114507682981, 54
Willett WC, see Azadbakht L, 807
Williams C, see Lopez-Miranda J, 458
Williams CM, see Joost H-G, 26
Williamson DA, see Martin CK, 439
Winichagoon P, see Wieringa FT, 1070
Wong JMW, see Gigleux I, 1229
Wong M-S, see Chen W-F, 1120
Wong SYS, Lau WWY, Leung PC, Leung JCS & Woo J *The association between isoflavone and lower urinary tract symptoms in elderly men*, doi: 10.1017/S0007114507787433, 1237
Woo J, see Wong SYS, 1237
Woo Kim S, see Li P, 237
Worthley C, see Hill AM, 300
Wright AJA, Dainty JR & Finglas PM *Folic acid metabolism in human subjects revisited: potential implications for proposed mandatory folic acid fortification in the UK*, doi: 10.1017/S0007114507777140, 667
Wrisberg SS, see Bering S, 991
Wu G, see Li P, 237
Wybranska I, see Elliott R, 1095
Wynne JM, see Henry CJK, 147
Xia D, see Li Y, 300
Xiang Y-B, see Cai H, 1006
Xu J, see Yang XF, 116
Xu WH, see Cai H, 1006
Yadav YR, see Jain G, 944
Yamano T, see Fukushima Y, 969
Yang G, see Cai H, 1006
Yang X, see Li Y, 310
Yang XF, Xu J, Guo HL, Hou XH, Hao LP, Liu LG & Sun XF *Effect of excessive iodine exposure on the placental deiodinase activities and Hoxc8 expression during mouse embryogenesis*, doi: 10.1017/S0007114507691909, 116
Yang Y, Zhou L, Gu Y, Zhang Y, Tang J, Li F, Shang W, Jiang B, Yue X & Chen M *Dietary chickpeas reverse visceral adiposity, dyslipidaemia and insulin resistance in rats induced by a chronic high-fat diet*, doi: 10.1017/S0007114507750870, 720
Yavuz Ataman O, see Korkmaz M, 571
Yen G-C, see Hsu C-L, 727
Yin Y-L, see Li P, 237
Yokoi K, Sandstead HH, Egger NG, Alcock NW, Ramanujam

VMS, Dayal HH & Penland JG *Association between zinc pool sizes and iron stores in premenopausal women without anaemia*, doi: 10.1017/S0007114507803394, 1214
York-Crowe E, see Martin CK, 439
Young GS, see Thorn SL, 78
Yu X, Chen K, Wei N, Zhang Q, Liu J & Mi M *Dietary taurine reduces retinal damage produced by photochemical stress via antioxidant and anti-apoptotic mechanisms in Sprague–Dawley rats*, doi: 10.1017/S0007114507444409, 711
Yuan L, see Li Y, 310
Yue X, see Yang Y, 720
Yusufi ANK, see Salim S, 984
Zhang M, Holman CDJ & Binns CW *Intake of specific carotenoids and the risk of epithelial ovarian cancer*, doi: 10.1017/S0007114507690011, 187
Zhang Q, see Foo LH, 1281
Zhang Q, see Yu X, 711
Zhang Y, see Yang Y, 720
Zhao R, see Li Y, 310
Zheng W, see Cai H, 1006
Zhou L, see Yang Y, 720
Zhu K, see Foo LH, 1281
Zoller D, see Nagel G, 194
Zoller D, see Rohrmann S, 1112